




Kitselman Bros.

1929 Catalog



KITSELMAN BROTHERS

SINCE 1883
MUNCIE, INDIANA, U.S.A.

\$25,000⁰⁰ Bond Guarantee



\$25,000.00 INDEMNIFYING BOND

Know all men by these presents: That Kitselman Brothers, incorporated, of Muncie, Indiana, as principal, and A. L. Kitselman, D. M. Kitselman, C. M. Kitselman and E. F. Kitselman, as surely, are held and firmly bound unto the Merchants National Bank, of Muncie, Indiana, in the sum of

TWENTY-FIVE THOUSAND DOLLARS

for the payment of which sum well and truly made, hereby bind themselves firmly by these presents. lawful money of the United States, for the payment of which sum well and truly made, hereby bind themselves firmly by these presents. Dated this 25th day of January, 1906.

The conditions of the foregoing Bond are such that: Whereas, the said Kitselman Brothers, being manufacturers of woven wire fence, steel posts, gates, etc., advertise and agree to sell their merchandise on unlimited guarantee; that if said merchandise fails to give satisfaction and is returned as per the terms of their guarantee, the said Kitselman Brothers agree to return in full the money paid for the merchandise so returned.

Now, therefore, if the said Kitselman Brothers fully and truly comply with said agreement and return in full the amount of money paid for any merchandise that may be returned in accordance with the terms of their guarantee, then this bond shall be of no force and effect. Should the said Kitselman Brothers fail to return the money on return of the merchandise, as per this guarantee, then this bond is to be in full force and effect for whatever amount or amounts so failed to be returned, and on receipt by said Merchants National Bank, of bill or information showing merchandise to have been paid for, and Railroad Agent's receipt showing return of the merchandise, as per the terms of said guarantee, said bank is hereby authorized to remit to any customer or customers the money paid for said merchandise and to charge said amounts to our account, and we, by the terms of this bond, hereby fully and without reservation bind and obligate ourselves to reimburse or pay to the said Merchants National Bank the total amount of any sum or sums so paid. Witness our hands the day and date first above written.

KITSELMAN BROTHERS,

By A. L. Kitselman President.
E. F. Kitselman





A. L. KITSELMAN
PRESIDENT



D. M. KITSELMAN
VICE-PRESIDENT



E. F. KITSELMAN
SECRETARY



C. M. KITSELMAN
TREASURER



The Great Kitzelman Factories Today

World's Greatest Values for 45 Years

KITSELMAN Brothers, since 1883, have been known everywhere for honest values, low prices and dependable service.

Today, we offer you the greatest dollar-for-dollar values in our 45 years' history—guaranteed quality merchandise, remarkably low prices, 12-to-24 hour shipping service.

Factory to You

Every article in our bigger, better line—Fence, Steel Posts, Gates, Barbed Wire, Paints, Roofing—is sold *direct to the user* at prices only a little above manufacturing cost. There are no middlemen—one small profit—low sales expense—one price to all. More than a million and a quarter customers have benefited by the saving.

Speedy Shipments

Ninety-nine out of every 100 orders are shipped from 12 to 24 hours after their receipt in our office. Fifty out of every 100 orders received in the morning are on their way before night.

Traffic experts in our organization route every shipment to reach its destination in the shortest possible time.


Compare the Values!

Compare the values in this great catalog with those offered elsewhere! Note the savings you make by buying direct from our big mills!

Check point by point the high quality of our products! Satisfy yourself that each measures up to the standard you have a right to expect!

Then send us your order! You take absolutely no risk. Our \$25,000.00 Indemnity Bond Guarantee protects you. Remember—if for any reason you are not satisfied with your purchases, return them to us at our expense and we immediately will refund every cent you have paid. No quibbling about it. You are the judge and jury. If you are not satisfied, there is no sale.

12 TO 24 HOUR SERVICE





Kitselman Bros.
MUNCIE, INDIANA



Fence Makers Since 1883

The firm of Kitseiman Brothers (incorporated 1904) was organized in 1883 by A. L. and D. M. Kitseiman and started at the bottom of the ladder. We could not now put our office in what was then our office, factory and wareroom. We knew how to

ducting our business on these cardinal principles—making fence of varied utility—make it as good as is possible with skilled labor and the very best of material—selling it under such an open, candid and liberal guarantee that leaves the matter of acceptance wholly with the purchaser.

Own Our Own Farms

Members of our firm still own and operate their own farms. Thus we know the problems of the farmer. We know his fence needs. We strive to make fence which actual experience teaches us will best fit those needs. Last, but not least of all, we sell it at a price which assures our customers the greatest dollar-for-dollar value on the market.



Birth Place of A. L. and D. M. Kitseiman

work, because we were born on the farm where work was imperative and the first lesson taught us by an industrious parentage was, "There is no excellence without labor." We were taught that every effort should have our best endeavor or it was ignobly performed.

With the inception of our industry we incorporated two virtues, believing that if a man be inspired, not only to faithfully toil, but also to strive for the highest degree of attainment, there would be no limitation to his success other than that fixed by his own capability.

Our Business Grows

We came out of a home where honesty was not a policy but a principle and where deceit could find no hiding. Out of our labor, out of our striving for the highest degree of perfection in fence construction, out of our fair and candid treatment of every customer that placed an order with us, has grown a business surpassed in magnitude by few fence manufacturers.

Our claims for your patronage are based upon the assurance that we are today con-



D. M. Kitseiman (1865) A. L. Kitseiman

For 45 years, we have enjoyed the patronage and good will of thousands upon thousands of customers. We cherish that good will. It is today our most valuable asset.

As you turn the pages of this catalog note what these customers say about the quality of our goods, our fair business dealings and our low prices. Note, too, the endorsements by leading farm papers, banks and our own fellow citizens.

Read how our products are made to give you the service you have a right to expect. Then mail us an order. Let us prove to you that our products are even more than we claim.



Factory and Working Force, 1883

We Pay the Freight

Endorsed by

Leading Farm Papers

"The Hoosier Farmer" says Service—Plus

Gentlemen: We have been personally acquainted with your firm for many years and have always found you to be truthful in your advertising and prompt in your service rendered to the farmers of the state.

We feel sure that every farmer will have the same pleasant relations with you in business as we have from month to month.

"Farm Life" Readers Satisfied

Gentlemen:— It will be gratifying to you to know that in the twelve years that FARM LIFE has been carrying your advertising, we have not received a single complaint from one of our subscribers.

"The Farmer's Wife" says:

Gentlemen: We find that we have carried your advertising continuously with the exception of one year since 1909, and in all that time we do not remember of ever having had a complaint against your company.

Not One Complaint in 350,000 Families, says

"Southern Ruralist"

Gentlemen: The Southern Ruralist has been carrying your Fence advertising for a great many years and if ever you have had a dissatisfied customer among the more than 350,000 Southern Farm families who read our publication we do not know of any.

"The Prairie Farmer" writes:

Gentlemen: We have had the pleasure of carrying your business for a great many years and have learned from Mr. Davis, manager of our Protective Union Department, that we have had no complaints from Prairie Farmer readers who have answered your advertisements.

Endorsed by "American Poultry Advocate"

Gentlemen: We hesitate not one second in recommending Kitselman Bros., to readers of the American Poultry Advocate or to anyone considering the purchase of wire fencing.

For twenty-four years Kitselman Bros. advertisements have appeared regularly in the Advocate and in all that time we have never once received a complaint of any kind from any of our readers. We know that Kitselman Bros.' fair and honest dealing will continue the same in the future as during the years past.

Everyone Satisfied, says "Southern Agriculturist"

Gentlemen: We have carried your advertisements for the past fifteen years and we have not had a single complaint from one of our subscribers on transactions with you. Every reader of our paper knows we guarantee against loss in dealing with our advertisers and the fact that we have not had any complaints against you is positive proof that you have fulfilled your promises and obligations to the letter.

Leading Banks

Farmers Savings Bank
Muncie, Indiana

To Whom It May Concern:

It affords me great pleasure to certify that Kitselman Brothers, of this city, have been known to me for many years. Kitselman Bros. are known here as men of high moral character and good business ability, and any agreement or contract made by them will be absolutely carried out. I want to commend them to any prospective purchaser.

W. J. CLARK, President.

Peoples Trust Company
Muncie, Indiana

To Whom It May Concern:

We have known the gentlemen comprising the firm of Kitselman Bros. for several years. They are all men of excellent business judgment, of good character, absolutely responsible and able to fulfill all their contracts.

G. L. HAYMOND, V-President.

Delaware County National Bank
Muncie, Indiana

To Whom It May Concern:

Kitselman Brothers are extensive manufacturers of wire and wire fence. These gentlemen are good business men of high moral character and amply responsible financially for all their contracts. We take pleasure in saying that any one desiring to purchase goods of their make can do so with perfect safety.

W. E. HITCHCOCK, President.

Leading Citizens

Delaware County Farm Federation
Muncie, Indiana

To My Brother Farmers and Others:
Kitselman Brothers have been leading business men of Muncie for many years. I remember of my father having dealt with them as long as twenty-five years ago.

They have always held a high standing in our community as being honorable and responsible business men capable of fulfilling any contract they might enter into.

KARL D. NOTTINGHAM, Chairman.

Office of County Agricultural Agent,
Muncie, Indiana.

To the Farmer:

Durability and service at a reasonable charge are necessary requisites to a growing business concern. Kitselman Brothers have been rapidly growing for many years, due to the supreme dependability of their products and the unquestionable integrity of the firm.

M. E. CROMER, County Agr'l Agent.

Office of Mayor, Muncie, Indiana

To Whom It May Concern:

The writer has known Kitselman Bros. and their products for a number of years, and take pleasure in saying that I know both the personae of the concern and the product they manufacture to be of the very highest quality.

JOHN C. HAMPTON, Mayor.



Kitselman Bros.
MUNCIE, INDIANA



Our Liberal Terms

Prices for goods in this Catalog are for delivery, freight prepaid by us in quantity mentioned, to freight station nearest the post-office to which Catalog was mailed.

All prices given are Strictly Net. They are not subject to any discount for cash or otherwise.

TERMS

Plan No. 1. Cash With Order

Very nearly all of our customers send the full amount of bill with order, and in so doing they complete their part of the transaction at one writing. You run absolutely no risk in sending full amount, for you are sure to get your money back if for any reason you are not satisfied with your purchase. Our \$25,000 Indemnifying Bond, as shown on the inside front cover page, fully protects you. Receiving your money in advance does not change our Guarantee in any respect. In fact, buying goods of us, with a \$25,000 Indemnifying Bond as our Guarantee of good faith, is as safe, simple, and easy as buying a pound of coffee from your grocer.

Plan No. 2. Collect on Delivery

If you should hesitate to remit in full with order, you may send one-third of the amount of your bill and we will ship the goods and collect balance through your Bank or Express Office on arrival of goods. Shipments of this kind are commonly called C. O. D. shipments. Very few of our customers order under this plan, for by sending full amount with order, they save the annoyance of going to the Bank or Express Office to pay the balance due, and they also save the fee charged by Banks and Express Companies for handling collections. If you order goods shipped C. O. D. give name and address of Bank or Express Office to which you prefer us to send sight draft and bill of lading for collection of balance due.

Plan No. 3. Certificate of Deposit

Deposit full amount of bill with your banker and have him fill out and sign a Certificate of Deposit, showing that amount is to be remitted to us if the purchase proves satisfactory after 30 days' trial. Send signed Certificate of Deposit to us with your order. Use blank Certificate of Deposit below.

TEAR OFF AT DOTTED LINE

If you wish to deposit the purchase price in a local bank of your own choice, as per plan of purchase No. 3, have your banker fill out and sign this Certificate and you send it direct to us with your order.

CERTIFICATE OF DEPOSIT

Kitselman Brothers. Town..... State.....

Muncie, Indiana.

Date

Mr. has deposited \$.....

with us in payment of.....

Said amount is subject to the following conditions: It is understood and agreed that purchaser is to have free use of the fence for 30 days from the time of its receipt. If this 30 days' use and test is satisfactory, then the purchase money becomes the property of Kitselman Brothers. If for any reason the fence is unsatisfactory, the same to be rolled up in good shape and delivered to railroad freight agent, taking therefrom the usual freight receipt.

We agree to hold the money for 30 days, which dates from the time of the receipt of the fence. If at the end of that time the fence has not been returned, as agreed in the order, this money to become your (Kitselman Bros.) property, and we will remit same to you promptly by New York, Chicago or St. Louis Draft.

If the fence is returned to you, we will refund the money to the depositor upon his delivering to us railroad shipping receipt showing that the same has been returned to Kitselman Brothers, Muncie, Ind. In such case we will notify you at once and send the shipping bill.

This deposit is subject to draft at the end of the 30 days' trial.

Signed

Name of Bank

By

Name of Bank Official

12 TO 24 HOUR SERVICE

From Wire Mill to You



Kitselman Brothers Only Fence Makers Selling Direct to User, Who Own and Operate Own Wire Mills

EVERY foot of wire used in Kitselman Fence is *drawn* and *galvanized* right here in *our own* mills. Every step in manufacture, from raw material to finished fabric, is under our direct supervision and control.

That is why we can back every rod of our fence with an iron-clad guarantee; that is why we can sell the highest quality fence for less money.

Quality Is Built In

Kitselman Fence is made as good as modern science and modern machinery can make it.

The wire itself possesses that toughness, strength and elasticity which makes for longest and most satisfactory service. It is stiff and "springy"—not soft and easily bent. All strand or line wires are crimped to provide additional spring and to take care of expansion and contraction.

Kitselman Fence stretches evenly and straight without bagging, sagging or buckling. The tighter you stretch it the better it is. And, in all climates and under the most severe conditions, it stands up perfectly year after year.

One-Piece Stay Wires

Kitselman Fence is woven on specially designed looms right here in our own factory.


All styles and heights, with a few exceptions, are made with one-piece, or continuous stay wires.

These stay wires run from top to bottom without a break. The ties or knots which lock the stay wires and line wires of the fence together are a part of the stay wire.

The one-piece stay wires unquestionably produce the stiffest fence it is possible to make, a fact that adds further to the life of the fence.

The special Kitselman Tie (see accompanying illustration) is used in our Challenge, Ideal, Old Trusty, Samson, Perfection, Hercules, Bull Proof, Supreme, Giant and Atlas Fences.

It is formed by looping the continuous stay wire around the continuous line wire at the proper intervals.



This perfected combination loop and knot makes the most practical and durable tie ever used in the construction of wire fence. The knot is clinched around the line wire in such a manner as to positively prevent slipping or unwinding.

We Pay the Freight

99 ⁹²/₁₀₀ % PURE ZINC

Same High Quality as

YOU know the rust-resisting qualities of Telephone Wire. You know how long IT lasts in actual service; how it defies destructive elements year after year.

NOW—every foot of wire used in Kitselman Fence is *Super-Galvanized* with the same high quality zinc as is used in galvanizing TELEPHONE wire.

This *super-coating*, produced with *purest* zinc spelter, resists rust years longer than ordinary galvanizing, and prolongs the life of the fence.

Farmers, for years, have been asking: "Why can't farm fence be made from telephone wire?" There were two reasons: First, certain mechanical restrictions which made it impractical; Second, the high cost of the galvanizing. But, after years of experiment and research, Kitselman engineers solved the problem. A wonderful new process now insures a coating of *pure* zinc galvanizing which defies time and elements.

99 92/100 per cent Pure Zinc

The zinc, or spelter, used in galvanizing Kitselman *SUPER-GALVANIZED* Wire is 99 92/100 per cent pure, the highest grade spelter known and the same quality as that used on the best telephone and telegraph wire. Ordinary fence wire is coated with common spelter which is inferior in quality and costs much less per pound.


You can readily see why Kitselman Fence, galvanized with *pure* zinc, will outlast fence coated with common spelter.

Today, Kitselman Brothers are the **ONLY** manufacturers of wire fence selling direct to the user, who make their own wire. They likewise are the **ONLY** manufacturers in their field using 99 92/100 per cent *pure* zinc in galvanizing.

**Greatest
Improvement
in Years**



**No Increase
in Price**



GALVANIZING

used on Telephone Wire

All Kitselman Fence Wire is galvanized by the Kitselman Hot-Dip method, which is acknowledged to be the last word in galvanizing.

The wire is first subjected to a special heat treatment automatically regulated. It then enters a tank filled with molten metal, 99 92/100 per cent *pure* zinc.

As the wire passes slowly through this tank the pure zinc amalgamates with the surface of the steel wire. Then, as the wire proceeds, additional zinc collects on the surface and clads the wire in armor which resists the elements.

Of course, to bring about these results, the wire itself must be drawn from steel of proper analysis. The annealing must be just right. The zinc must be of pure quality. And, most important of all, the temperature maintained in the galvanizing tanks must be absolutely correct at all times.

These improved methods of galvanizing, coupled with the painstaking drawing and tempering of wire in our own mills, positively assures you of fence that will give you the longest possible service at very low cost.

Test it at Our Expense

But you need not take our word for this. Test Kitselman Fence at our expense!

Order a roll of Kitselman Fence from our regular stock! Cut a section from it and subject it to any test you like!


Then test it along with other makes of fence, but be sure to insist upon wire from actual rolls of fence--*not specially prepared samples*.

If the Kitselman Fence does not pass the test--

If it does not prove superior to other makes tested under the same conditions--

Return it to us at our expense and we will refund every cent you have paid for it!

**Marvelous
New Wire
Used Only by
Kitselman**






Kitselman Bros.
MUNCIE, INDIANA




World's Greatest Fence Values




47-inch Challenge Farm Fence

Top and bottom wires No. 11 Gauge; Line and Stay wires No. 14½ Gauge. All Super-Galvanized with 99 92/100% pure zinc. Stay wires 12 inches apart. Made in 10, 20 and 40 rod rolls. Always order fence by number.




26-inch Challenge Hog Fence

Top and bottom wires No. 11, line and stay wires No. 14½; all wires Super Galvanized. Stays 12 inches apart. Made in 10, 20 and 40 rod rolls.



32-inch Challenge Hog Fence

Top and bottom wires No. 11, line and stay wires No. 14½; all wires Super Galvanized. Stays 12 inches apart. Made in 10, 20 and 40 rod rolls.



39-inch Challenge Farm Fence

Top and bottom wires No. 11, line and stay wires No. 14½; all wires Super Galvanized. Stays 12 inches apart. Made in 10, 20 and 40 rod rolls.

Prices do not include barbed wire shown above fence. We pay freight on 30 rods or more of Challenge Fence. Always order fence by number.

New Low Prices

The pages of this Great Bargain Book are filled with real money-saving values.

You'll find here 100 different styles and heights of fence—a style and height for every purpose at prices you can afford to pay.

Remember—every step in the manufacture of our fence is under our direct control in our own wire mill and fence factory.

That is why we can back our fence with an iron-clad guarantee. That is why we can sell the highest quality fence for less money. No middlemen—one small profit—low sales expense—one price to all.

When you buy Kitselman Fence you are assured of these two vital things:

First—That you are getting the highest quality fence it is possible to buy.

Second—That you are paying the lowest possible market price.

Furthermore, when you buy direct from our mills, you know you are getting brand new fence fresh from the looms.

You know, too, just what you are buying. There is no guess work about it. Our printed description tells you exactly how and of what the fence is made. It gives the size of wire used and the dimensions and construction of the fabric.

Just note the fences illustrated and described on these two pages! Note the low cost per rod! Were you to search the country over you could not find such dependable fences at so little money.

TOP AND BOTTOM WIRES

No. 11

LINE WIRES

No. 14½

STAY WIRES

No. 14½

12 TO 24 HOUR SERVICE




Kitselman Bros.

MUNCIE, INDIANA



Years of Service at Low Cost



47-inch Challenge Farm Fence

Top and bottom wires No. 11 Gauge; Line and Stay wires No. 14½ Gauge. All Super-Galvanized with 99 92/100% pure zinc. Stay wires 6 inches apart. Made in 10, 20 and 40 rod rolls. Always order fence by number.

Save You Money

The wire used in our Challenge Fence is produced from the same base material and in the same way as the wire used in our heavier fences. Each wire is Super-Galvanized by our own secret process to make it give longest possible service.

Challenge Fence is made with one-piece, continuous stay wires. These are locked to the continuous line wires by the famous Kitselman Tie which leaves no ends exposed to rust.

The 26-inch and 32-inch heights, both in the 12-inch and 6-inch mesh, are just the thing for "hogging down" corn. They are light and easy to handle and stretch up perfectly time after time.

These heights also are widely used for making old fences hog-tight. Stretch this inexpensive fence along the bottom of your old fences! Wire it right to the old fence if you desire—and you'll have a hog-tight fence that will last for years at very low cost.

Read What These Satisfied Users Say:

Gentlemen:


I received the 240 rods Challenge fence and it looks extra good to me. The wire is tough and pliable and the fence is as good as any one could ask for.

WM. DEIST,
Smithwick, S. D.

Dear Sirs:


I received the 120 rods fence No. 163 in good shape, have it up and like it fine. I saved \$19.60 by buying from you. Thanking you for the prompt shipment, I am,

Yours very truly,
W. H. McMILLAN,
Crumpler, N. C.




26-inch Challenge Hog Fence

Top and bottom wires No. 11, line and stay wires No. 14½; all wires Super Galvanized. Stays 6 inches apart. Made in 10, 20 and 40 rod rolls.



32-inch Challenge Hog Fence

Top and bottom wires No. 11, line and stay wires No. 14½; all wires Super Galvanized. Stays 6 inches apart. Made in 10, 20 and 40 rod rolls.



39-inch Challenge Farm Fence

Top and bottom wires No. 11, line and stay wires No. 14½; all wires Super Galvanized. Stays 6 inches apart. Made in 10, 20 and 40 rod rolls. Prices do not include barbed wire shown above fence.

We pay freight on 30 rods or more of Challenge Fence. Always order fence by number.

TOP AND BOTTOM WIRES

No. 11

LINE WIRES

No. 14½


STAY WIRES

No. 14½

We Pay the Freight




From Factory to You



47-Inch Ideal Farm Fence

Top and bottom wires No. 10 Gauge; Line and Stay wires No. 13 Gauge. All Super Galvanized with 99 92/100% pure zinc. Stay wires 12 inches apart. Made in 10, 20 and 40 rod rolls. *Always order fence by number.*



39-inch Ideal Farm Fence

Top and bottom wires No. 10, line and stay wires No. 13; all wires Super Galvanized. Stays 12 inches apart. Made in 10, 20 and 40 rod rolls.

Price does not include barbed wire, shown above fence.

We pay freight on 30 rods or more of Ideal Fence. Always order fence by number.

We Guarantee Delivery

All shipments are delivered to the railroads in first-class condition and goods are rarely ever lost or damaged in transit. However, should loss or damage occur, we protect you fully.

If any part of the shipment should be lost or damaged, have the freight agent make a full explanation on the freight receipt and forward the receipt to us. The original bill of lading also should be returned if convenient. On arrival of papers we will promptly adjust the matter with you and file claim against the railroad.

When only a part of the shipment is lost or damaged, you should accept the portion received and send to us freight receipt on which agent has noted shortage or damage. Of course, if the entire shipment is so badly damaged as to be absolutely worthless, you should refuse to accept it and report fully to us.

We Pay Freight

Kitselman Brothers *prepay* freight. Why?

—because we can protect our customers against freight overcharges;

—because we can save them all the annoyance and inconvenience of having to pay the freight before they can get their shipment from the freight station;

—because our customers know that when they see a price in our catalog, that price covers everything they are required to pay;

—because, through this plan, we have saved our customers thousands of dollars in the last few years;

—because our 45 years' of selling Direct-from-Factory-to-User has taught us that this is the only right and fair way to sell and ship goods.

In comparing our prices with others, be sure to find out whether the prices quoted include freight prepaid or are merely F. O. B. If the catalog does not emphatically say "We Pay the Freight" you can be sure that you will have to pay it.


12 TO 24 HOUR SERVICE



Kitselman Bros.
MUNCIE, INDIANA



12-to-24 Hour Service



47-Inch Ideal Farm Fence

Top and bottom wires No. 10 Gauge; Line and Stay wires No. 13 Gauge. All Super-Galvanized with 99 92/100% pure zinc. Stay wires 6 inches apart. Made in 10, 20 and 40 rod rolls. *Always order fence by number.*


You Save Money

You know when you see a price in our catalog exactly what the goods will cost you delivered at your nearest railway station. There is no guesswork about it—no extras to pay so long as goods are ordered in the minimum quantities mentioned.

We Pay Freight on All Orders for—


- 30 or more rods of Farm or Poultry Fence.
- 20 *Can't-Bend, Long-Life* or *Samson Line* Posts.
- 30 *Universal Line* Posts.
- 3 Steel End or Corner Posts.
- 3 Spools of Barbed Wire.
- 3 Steel Farm Gates.
- 2 Wood Farm Gates.
- 4 Sets of Gate Irons.
- 4 Poultry or Walk Gates.
- 100 feet of Lawn Fabric.
- 50 feet of Complete Lawn Fence.
- 1 Cemetery or Farm Arch.
- 200 pounds of Galvanized Wire.
- 4 Rolls of Asphalt Roofing.
- 1 square of Asphalt Shingles.
- 200 pounds of Plastic Cement.
- 10 gallons of Liquid Roof Preserver.
- 10 gallons of Paint, Varnish or Shingle Stain.

We also pay the freight on a combination order equivalent to any of the items listed above. For instance, we pay freight on less than 30 rods of Farm or Poultry Fence providing additional material such as posts, roofing or paints is ordered to make up the necessary shipping weight.




26-Inch Ideal Hog Fence

Top and bottom wires No. 10, line and stay wires No. 13; all wires Super Galvanized. Stays 6 inches apart. Made in 10, 20 and 40 rod rolls.



32-Inch Ideal Hog Fence

Top and bottom wires No. 10, line and stay wires No. 13; all wires Super Galvanized. Stays 6 inches apart. Made in 10, 20 and 40 rod rolls.



39-Inch Ideal Farm Fence

Top and bottom wires No. 10, line and stay wires No. 13; all wires Super Galvanized. Stays 6 inches apart. Made in 10, 20 and 40 rod rolls.

Prices do not include barbed wire shown above fence.

We pay freight on 30 rods or more of Ideal Fence.
Always order fence by number.


TOP AND BOTTOM WIRES No. 10

LINE WIRES No. 13

STAY WIRES No. 13

We Pay the Freight

Barbed Bottom Wire



No. 71 — 26-Inch Reliable Hog Fence



No. 11

Stays 6 inches apart. All Super Galvanized Wires.

No. 14 1/2

Price does not include barbed wire shown above fence.

No. 14 1/2


Made in 10, 20 and 40 Rod Rolls

Always order fence by number.

Bottom wire 2 point barb, made of No. 14 wires; barbs 3 inches apart.

21 1/2c
a Rod

We pay freight on 30 rods or more



No. 72 — 32-Inch Reliable Hog Fence

Top wire No. 11; bottom wire 2 point barb, made of No. 14 wires; barbs 3 inches apart; intermediate line wires No 14 1/2, stay wires No. 14 1/2; stays 6 inches apart. All Super Galvanized wires. Made in 10, 20 and 40-rod rolls.

26c
a Rod

Notice the Barbed Wire woven into the bottom of these Fences. It's put there to baffle rooting hogs. No need to worry about Mr. Hog rooting under these fences. The barbs stop him before he gets started.

The stay wires in this fence are only 6 inches apart. They run parallel from the top wire to the bottom without a break. The continuous line and stay wires, interlocked by our Universal Knot, cannot slip. The tighter you stretch the fence, the tighter the knot is drawn.


Reliable and Universal Hog Fences are easy to stretch up, easy to take down. They are ideal for making partially worn out fences "hog tight." And, the price per rod is much lower than for many other 6-inch mesh fences made of similar size wires.

Fence Stretchers

Samson Fence Stretchers are powerful—easy to operate—speedy—safe. Made with worm and worm gear—the most powerful pulling force known—they will draw any type fence to the required tension. Gears lock automatically at any point.

Working parts are made of high grade malleable iron. Plates are of heavy channel steel, 5/16 inches thick, 2 inches wide. The heavy chain is forged from 3/8 inch steel. Chains are 10 feet long. The 60-inch clamp bars are heavy hardwood bolted together with large square head bolts.

Samson Single Stretcher has one jack and chain. The Double Stretcher has two jacks and two chains.



Single Stretcher


12 TO 24 HOUR SERVICE



Kitselman Bros.
MUNCIE, INDIANA



Stops Rooting Hogs



No. 67—26-Inch Universal Hog Fence

TOP WIRE	No. 10
LINE WIRES	No. 13
STAY WIRES	No. 13

Bottom wire 2 point barb, made of No. 13 wires; barbs 3 inches apart.

Stays 6 inches apart. All Super Galvanized Wire.

Price does not include barbed wire shown above fence.

Made in 10, 20 and 40 Rod Rolls

Always order fence by number.

28c

a Rod

We pay freight on 30 rods or more

Proof that Universal Hog Fences give long and satisfactory service is found in these two letters from satisfied users. Read them!


Gentlemen: Will you please send me 60 rods of your Universal Hog Fence? I have this kind of fence that has been in use about 20 years and I can say the fence is there just as good as new. This same fence has been covered with snow every year from six to ten feet deep. I believe it will last 20 years more.

A. R. Anderson, Route No. 7, Litchfield, Minn.

Dear Sirs: My father bought some of your Universal Hog Fence No. 67 ten years ago and it is just as good today as it was then.

J. W. McDonald, Pollock, Mo.

Now note the low prices quoted. Only our ability to make and sell thousands upon thousands of rods of this fence each year makes possible these exceptionally low prices.



No. 68—32-Inch Universal Hog Fence

Top wire No. 10; bottom wire 2 point barb, made of No. 13 wires; barbs 3 inches apart; intermediate line wires No. 13; stay wires No. 13; stays 6 inches apart. All Super Galvanized wires. Made in 10, 20 and 40 rod rolls.

33c

a Rod

Priced at Cost


The double stretcher may be used as a single stretcher by removing one of the jacks. For long stretches of heavy fence we recommend the double stretcher.

Only our desire to furnish our customers with a dependable stretcher at cost makes these low prices possible:

Kind	Price each
Samson Single Stretcher.....	\$4.95
Samson Double Stretcher.....	9.40

Wood Clamps 72 inches long for stretching fence higher than 60 inches, 50 cents extra.

We pay the freight on Samson Stretchers when ordered with 30 or more rods of Farm or Poultry Fence.



Double Stretcher

We Pay the Freight




Kitselman Bros.

MUNCIE, INDIANA




Buy Direct—Keep the Difference!




47-Inch Old Trusty Farm Fence

Top and bottom wires No. 10 Gauge; Line and Stay wires No. 12 Gauge. All *Super-Galvanized* with 99 92/100% pure zinc. Stay wires 12 inches apart. Made in 10, 20 and 40 rod rolls. *Always order fence by number.*




26-Inch Old Trusty Hog Fence

Top and bottom wires No. 10, line and stay wires No. 12; all wires *Super Galvanized*. Stays 12 inches apart. Made in 10, 20 and 40 rod rolls.



32-Inch Old Trusty Hog Fence

Top and bottom wires No. 10, line and stay wires No. 12; all wires *Super Galvanized*. Stays 12 inches apart. Made in 10, 20 and 40 rod rolls.



39-Inch Old Trusty Farm Fence

Top and bottom wires No. 10, line and stay wires No. 12; all wires *Super Galvanized*. Stays 12 inches apart. Made in 10, 20 and 40 rod rolls.

Prices do not include barbed wire shown above fence.

We pay freight on 30 rods or more of Old Trusty Fence.
Always order fence by number.

No Middleman—

Kitselman Bros., Muncie, Ind.

Gentlemen:

It is said that out of every dollar the consumer spends for commodities, the producer receives less than 40 cents. There is a leak along the line of 60 cents going to the middleman, salesman, retailer, etc.

You sell direct to the consumer, thus affecting a great saving. This plan is a real American, common-sense plan, and bound to become more and more popular. Yours for more business,

WILLIAM B. RARICK,
Atwood, Ind.

This, one of hundreds of similar letters in our files, points out precisely why Kitselman Fence is sold by one, and only one, plan: *Direct-from-Factory-to-You.*

The Kitselman "common-sense" way cuts out the long profits of jobber, salesman and retailer. It does away with all unnecessary handling expense and needless freight charges.

Every dollar of your money goes to fence and one transportation charge. Even the wire-maker's profit has been eliminated, for we own and operate our own wire mills, where every foot of wire used in Kitselman Fence is made from the raw material.

Each year thousands of letters are received from our customers, telling of the savings they make by buying Kitselman Fence, and of the wonderful service it is giving.

You, too, can realize these big cash savings! Cut your fence costs by a third or a half! Give your dollars a chance to do their full duty!

TOP AND BOTTOM WIRES

No. 10

LINE WIRES

No. 12


STAY WIRES

No. 12

12 TO 24 HOUR SERVICE



Kitselman Plan Cuts Costs



47-Inch Old Trusty Farm Fence

Top and bottom wires No. 10 Gauge; Line and Stay wires No. 12 Gauge. All *Super-Galvanized* with 99 92/100% pure zinc. Stay wires 6 inches apart. Made in 10, 20 and 40 rod rolls. *Always order fence by number.*

You Benefit

Take the fences shown on these two pages. Thousands of our customers are making substantial savings every year by buying Old Trusty.

Read these letters, just a few of the hundreds in our files, telling of the savings they have made and how well they are pleased with the fence:

Gentlemen:

I am entirely pleased with the No. 87 fence purchased of you. I saved 15 cents per rod and will say your fence represents more value for the money than any fence I ever bought.

Yours very truly,

A. G. HACK,
R. R. No. 2, Nebo, Ill.

Gentlemen:

The Old Trusty fence and tools came all right and am well pleased. We have the fence up now and are satisfied that we saved money by buying of you.

Yours truly,

HENRY LINN,
Warsaw, Ind.

Gentlemen:

The 43 rods of No. 83 Old Trusty wire ordered from you came in perfect condition. I am well pleased with it. Everybody that sees my fence commends it highly. I would not have a better fence. You will get my business in the future.


J. WALTER WARRELL,
Gladesboro, Va.

Dear Sirs:

I am well pleased with the shipment of No. 81 fence and the way you do business. The fence came just as you represented it and when in need of more fence I will get it of you.


Yours truly,

S. P. TRUMBO,
LaRue, Ohio.




26-Inch Old Trusty Hog Fence

Top and bottom wires No. 10, line and stay wires No. 12; all wires *Super Galvanized*. Stays 6 inches apart. Made in 10, 20 and 40 rod rolls.



32-Inch Old Trusty Hog Fence

Top and bottom wires No. 10, line and stay wires No. 12; all wires *Super Galvanized*. Stays 6 inches apart. Made in 10, 20 and 40 rod rolls.



39-Inch Old Trusty Farm Fence

Top and bottom wires No. 10, line and stay wires No. 12; all wires *Super Galvanized*. Stays 6 inches apart. Made in 10, 20 and 40 rod rolls.

Prices do not include barbed wire shown above fence.

We pay freight on 30 rods or more of Old Trusty Fence. *Always order fence by number.*

TOP AND BOTTOM WIRES

No. 10

LINE WIRES

No. 12

STAY WIRES

No. 12


We Pay the Freight



Kitselman Bros.
MUNCIE, INDIANA




Samson Fence Meets Every Need




47-Inch Samson Farm Fence

Top and bottom wires No. 9 Gauge; Line and Stay wires No. 11 Gauge. All *Super Galvanized* with 99 92/100% pure zinc. Stay wires 12 inches apart. Made in 10, 20 and 40 rod rolls. *Always order fence by number.*




26-inch Samson Hog Fence

Top and bottom wires No. 9, line and stay wires No. 11; all wires *Super Galvanized*. Stays 12 inches apart. Made in 10, 20 and 40 rod rolls.




55-inch Samson Farm Fence

Top and bottom wires No. 9, line and stay wires No. 11; all wires *Super Galvanized*. Stays 12 inches apart. Made in 10, 20 and 40 rod rolls.



32-inch Samson Hog Fence

Top and bottom wires No. 9, line and stay wires No. 11; all wires *Super Galvanized*. Stays 12 inches apart. Made in 10, 20 and 40 rod rolls.



39-inch Samson Farm Fence

Top and bottom wires No. 9, line and stay wires No. 11; all wires *Super Galvanized*. Stays 12 inches apart. Made in 10, 20 and 40 rod rolls.

Prices do not include barbed wire shown above fence.

We pay freight on 30 rods or more of Samson Fence.
Always order fence by number.

High in Quality —

All Samson Fence is now made with No. 9 Gauge top and bottom wires and No. 11 Gauge line and stay wires.

This dependable fence, always a wonderful value, today is heavier, stronger than ever before. Yet, prices are still at bed-rock.

There is a style and height of Samson Fence to meet every need. Every rod of it can be depended upon to give long years of service at low cost.

Read what this satisfied user says about Samson Fence:

Kitselman Bros.
Gentlemen:

Received 80 rods your Samson fence shipped Aug. 18 in good time. Everything was O. K. Put this fence up along public highway. It makes a good, substantial, as well as a nice looking fence, and is a credit to both the farm and highway. Have had several inquiries about this fence and am always glad to tell my neighbors about it.

ERNEST E. AMICK,
Scipio, Ind.

TOP AND BOTTOM WIRES

No. 9

LINE WIRES

No. 11

STAY WIRES

No. 11


12 TO 24 HOUR SERVICE



Kitselman Bros.
MUNCIE, INDIANA




Heavier, Stronger Than Ever




47-Inch Samson Farm Fence

Top and bottom wires No. 9 Gauge; Line and Stay wires No. 11 Gauge. All *Super-Galvanized* with 99 92/100% pure zinc. Stay wires 6 inches apart. Made in 10, 20 and 40 rod rolls. *Always order fence by number.*




55-inch Samson Farm Fence

Top and bottom wires No. 9, line and stay wires No. 11; all wires *Super Galvanized*. Stays 6 inches apart. Made in 10, 20 and 40 rod rolls.




26-inch Samson Hog Fence

Top and bottom wires No. 9, line and stay wires No. 11; all wires *Super Galvanized*. Stays 6 inches apart. Made in 10, 20 and 40 rod rolls.



32-inch Samson Hog Fence

Top and bottom wires No. 9, line and stay wires No. 11; all wires *Super Galvanized*. Stays 6 inches apart. Made in 10, 20 and 40 rod rolls.



39-inch Samson Farm Fence

Top and bottom wires No. 9, line and stay wires No. 11; all wires *Super Galvanized*. Stays 6 inches apart. Made in 10, 20 and 40 rod rolls.

Prices do not include barbed wire shown above fence.

We pay freight on 30 rods or more of Samson Fence. *Always order fence by number.*

Low in Price

You will find that good, dependable fencing, such as our Samson, always is best and cheapest in the long run. The initial cost is very little more. The time and labor required to put it up are the same. Real economy comes in the longer years of service—the lower cost per year.

Kitselman Fence today costs far less per pound than any steel product used on the farm. The average cost per pound is less than 5 cents. Milk cans cost 29 cents per pound; shovels 31 cents; steel ranges 14 1/2 cents; farm implements from 13 cents up, according to reliable figures.

The farm dollar today will buy more Kitselman Fence than any other commodity on the market.

Still Good After 27 Years

Dear Sirs: Just got the 258 rods of No. 63 Fencing up. It is exactly as represented, and I feel that I saved one-third besides getting a better fence. I have some of your fencing that has been doing service about 27 years, and it still is in pretty good shape.

Yours very truly,

W. T. WOOD, Broadus, Texas.

TOP AND BOTTOM WIRES

No. 9

LINE WIRES

No. 11

STAY WIRES

No. 11


We Pay the Freight



Kitselman Bros.
MUNCIE, INDIANA




Giant All No. 9 Farm Fence




47-Inch Giant Farm Fence

Top and bottom wires No. 9 Gauge; Line and Stay wires No. 9 Gauge. All Super-Galvanized with 99 92/100% pure zinc. Stay wires 12 inches apart. Made in 10, 20 and 40 rod rolls. Always order fence by number.



39-inch Giant Farm Fence

Top and bottom wires No. 9, line and stay wires No. 9; all wires Super Galvanized. Stays 12 inches apart. Made in 10, 20 and 40 rod rolls.



55-inch Giant Farm Fence

Top and bottom wires No. 9, line and stay wires No. 9; all wires Super Galvanized. Stays 12 inches apart. Made in 10, 20 and 40 rod rolls.

Price does not include barbed wire shown above fence.

We pay freight on 30 rods or more of Giant Fence.
Always order fence by number.

All-Steel Fence

Kitselman All No. 9 Super Galvanized Wire Fence is built for long and dependable service.

The heavy No. 9 Gauge wire possesses that toughness, strength, "life" and elasticity which makes for the longest and most satisfactory wear. It is stiff and springy—not soft and easily bent. When stretched, it draws up without sagging or bagging and it stands up perfectly through all changes in temperature.

Each strand will withstand terrific strains. Thus you need not be afraid to stretch this fence tightly on your posts. In fact, the tighter you stretch it the better it is.

Kitselman All No. 9 Fence, because of its superior construction, is the strongest and most rigid farm fence made. Stay wires are of one piece, running from top margin wire to bottom margin wire without a break. These rigid stay wires are locked to the line wires by the famous Kitselman Knot which is a part of the stay wire itself. These knots leave no ends exposed to rust.

Kitselman All No. 9 Fence, stretched on Kitselman Rail Steel Posts, makes the greatest complete farm fence of all time.

This "All-Steel" combination, properly erected, gives years longer service than ordinary fence put up on wood posts.

Yet, it actually costs you less.

You save time, labor and expense in the building.

You save the time and labor necessary to replace broken or rotted wood posts.

TOP AND BOTTOM WIRES

No. 9

LINE WIRES

No. 9


STAY WIRES

No. 9

12 TO 24 HOUR SERVICE



Built for Maximum Service



47-Inch Giant Farm Fence

Top and bottom wires No. 9 Gauge; Line and Stay wires No. 9 Gauge. All Super-Galvanized with 99 92/100% pure zinc. Stay wires 6 inches apart. Made in 10, 20 and 40 rod rolls. Always order fence by number.

Lasts Years Longer

And, as the years roll by, you will find the fence stands up better, looks better and remains stock proof.

Read what these satisfied users say about Kitselman All No. 9 Fence and Kitselman Rail Steel Posts:

Gentlemen:


Your all No. 9 fence is undoubtedly the best fence I have ever seen put on posts; I figure a saving of 15 cents a rod and believe All No. 9 to be the most economical fence a farmer can put up. I am strong for Kitselman fence.

MAX MARTIN,
Milford Center, O.

Gentlemen:


I am highly pleased with the Steel Posts. You could not praise them too much. I saved at least 22 cents on each post over the cost of white cedars, to say nothing of the saving in cost of digging holes and setting the wood posts. A steel post purchased in Boston would have cost me twice as much as yours.

GEORGE L. MORRISON,
West Roxbury, Mass.



39-inch Giant Farm Fence

Top and bottom wires No. 9, line and stay wires No. 9; all wires Super Galvanized. Stays 6 inches apart. Made in 10, 20 and 40 rod rolls.



55-inch Giant Farm Fence

Top and bottom wires No. 9, line and stay wires No. 9; all wires Super Galvanized. Stays 6 inches apart. Made in 10, 20 and 40 rod rolls.

Price does not include barbed wire shown above fence.

We pay freight on 30 rods or more of Giant Fence.
Always order fence by number.

TOP AND BOTTOM WIRES

No. 9

LINE WIRES

No. 9

STAY WIRES

No. 9

We Pay the Freight



Kitseiman Bros.
MUNCIE, INDIANA



Horse-High, Bull-Strong, Pig-Tight

-A Two-in-One Fence That Saves You 8¢ to 20¢ a Rod-

EXAMINE closely the design and construction of the Fences shown on this and the page following.

Note how the 6-inch and 12-inch stays are combined to make a fence that will turn pigs with the same certainty that it turns cattle and horses.

Here you have a pig-tight, bull-proof fence that is really two fences in one. It does everything required of an all 6-inch stay fence yet it costs you no more than many all 12-inch stay fences on the market.

The close 6-inch stays run up to the seventh line wire, or 26 inches from the ground, amply high to stop all smaller animals. Above 26 inches the stays are 12


inches apart, plenty close enough to turn the larger stock.

While we do not recommend this fence for poultry, many of our customers frankly tell us that it is chicken proof.

Like all the fences in our big line, this improved style stretches up evenly and straight. The self-regulating line wires make stretching easy, even over hilly land, and keep the fence tight all year 'round.


This fence—the greatest all 'round farm fence made—is manufactured only by Kitseiman Brothers. It was introduced with but one idea in mind: To give our customers a fence that fills every requirement at the lowest possible price per rod.

Our customers are saving thousands of dollars annually by buying this economical, "two-in-one fence." You can save, too.



47-Inch Perfection Farm Fence

Top and bottom wires No. 9 Gauge; line and stay wires No. 11. All *Super* Galvanized with 99 92/100% pure zinc. Stays 6 inches apart up to seventh wire (or 26 inches from ground); 12 inches apart above. Made in 10, 20 and 40 rod rolls. *Always order fence by number.*



39-inch Perfection Farm Fence

Top and bottom wires No. 9 Gauge; line and stay wires No. 11. All *Super* Galvanized. Stays 6 inches apart up to seventh wire; (or 26 inches from ground); 12 inches apart above. Made in 10, 20 and 40 rod rolls. *Always order fence by number.*

Price does not include barbed wire shown above fence.

We pay freight on 30 rods or more of Perfection Fence.

TOP AND BOTTOM WIRES

No. 9

LINE WIRES

No. 11

STAY WIRES

No. 11

Read What These Satisfied Purchasers Say

Gentlemen:

The 47-inch fence I ordered from you is a real fence. It turns all stock from pigs to jumping mules.

Yours truly,
W. H. MAY, JR., Alphoretta, Ky.

Dear Sirs: Wish to tell you that I am more than pleased with the fence I got from you. I never put up a fence that stretched as nice as this did—not a kink in the wire.


M. D. BARCLAY, Rockwood, Pa.

12 to 24 HOUR SERVICE



Kitselman Bros.

MUNCIE, INDIANA




47-Inch Bull-Proof Farm Fence

All wires No. 10 Gauge *Super Galvanized*. Stays 6 inches apart up to seventh wire (26 inches from ground); 12 inches apart above. Made in 10, 20 and 40 rod rolls. *Always order fence by number.*

Bull-Proof, Perfection and Atlas Farm Fences are made entirely of *Super Galvanized* wire, coated with the same high quality spelter as that used on telephone wire. This superior coating, produced by the use of only the purest zinc, resists rust years longer than ordinary galvanizing and prolongs the life of the fence.

When you buy Kitselman Fence you buy extra wear, yet the initial cost to you is less than the market price. And when you figure the cost of Kitselman Fence over a period of years, you'll realize a still greater saving.




39-inch Bull-Proof Fence

All wires No. 10 Gauge *Super Galvanized*. Stays 6 inches apart up to seventh wire (26 inches from ground); 12 inches apart above. Made in 10, 20 and 40 rod rolls. *Always order fence by number.*

Price does not include barbed wire shown above fence.
We pay freight on 30 rods or more of Bull-Proof Fence.

TOP AND BOTTOM WIRES No. 10 LINE WIRES No. 10 STAY WIRES No. 10




47-Inch Atlas Farm Fence

All wires No. 9 Gauge *Super Galvanized*. Stays 6 inches apart up to seventh wire (26 inches from ground); 12 inches apart above. Made in 10, 20 and 40 rod rolls. *Always order fence by number.*

Atlas Farm Fence, one of the strongest farm fences made, is the most economical heavy fence you can buy. Here is a fence which meets every requirement of the heaviest all 6-inch stay fence yet saves you several cents a rod. At our low prices this combination All No. 9 Fence costs you no more than a lighter, less durable fence will cost you elsewhere and gives you years longer service.

Remember—Every dollar of your money goes to fence and one transportation charge when you buy from us. Even the wire maker's profit is eliminated for we draw and galvanize our own wire.



39-inch Atlas Farm Fence

All wires No. 9 Gauge *Super Galvanized*. Stays 6 inches apart up to seventh wire (26 inches from ground); 12 inches apart above. Made in 10, 20 and 40 rod rolls. *Always order fence by number.*

Price does not include barbed wire shown above fence.
We pay freight on 30 rods or more of Atlas Fence.

TOP AND BOTTOM WIRES No. 9 LINE WIRES No. 9 STAY WIRES No. 9

We Pay the Freight



Kitselman Bros.
MUNCIE, INDIANA



This New, Practical Farm Fence Means a Big Saving to You

Stays Only 8 Inches Apart—All No. 10 Gauge Wire

Here is a fence that farmers everywhere have been wanting—a good, strong, long-lasting fence that fills every farm purpose, yet costs less per rod.

This fence is made with one-piece up-right stays only 8 inches apart. These stays are joined to the continuous line wires by the famous Kitselman Knot, which leaves no ends exposed to rust.


Meets Every Demand

The 8-inch stays serve practically the same purpose as the 6-inch stays, and, of course, make a stronger, closer fence than the 12-inch stays. The 8-inch stays will stop pigs with the same certainty that they stop horses and cattle.

Both the 39-inch and 47-inch heights are made of all No. 10 gauge wire, just a single gauge lighter than No. 9 wire and as heavy as most so-called No. 9½ wire. They stretch up easily and straight and have all the weight, strength and lasting qualities of many other fences costing considerable more.


Super Galvanized

Like all Kitselman Fence, every foot of wire used in making the 8-inch stay fabric is galvanized by the Kitselman *Super* Galvanizing Process. This heavy coating of pure zinc prolongs the life of the fence.



47-Inch Supreme Farm Fence

All No. 10 Gauge *Super* Galvanized Wires. Stays 8 inches apart. Made in 10, 20 and 40 rod rolls. Always order fence by number.



39-Inch Supreme Farm Fence

All No. 10 Gauge *Super* Galvanized Wires. Stays 8 inches apart. Made in 10, 20 and 40 rod rolls. Always order fence by number. Price does not include barbed wire shown above fence.

We pay freight on 30 rods or more of Supreme Fence.

World's Greatest Paint Values

Kitselman Bros. *Certified* Paints represent the biggest dollar-for-dollar values ever offered. Our *Certified* House Paint is made with Pure Linseed Oil and in accordance with the most scientifically tested formula known. Every gallon is guaranteed to give you complete satisfaction or your money back.

"I have used 18 gallons of your Pure Linseed Oil Paint in the last few weeks and it is the best paint I ever used," writes Harley W. Wooley, a Columbus, Indiana, painter.

"In 20 years' experience I have never used a paint that is as nice to work," says C. B. Armstrong, contractor of Auburn, Indiana.

Turn to pages 62 to 64 for direct-from-factory prices on our complete line of quality paints!

For complete line of colors, see chart on inside of back cover.

TOP AND BOTTOM WIRES No. 10 LINE WIRES No. 10 STAY WIRES No. 10

12 TO 24 HOUR SERVICE




Kitselman Bros.

MUNCIE, INDIANA



11 BARS 45 INCHES HIGH



Fence No. 62


34c

a Rod
We pay freight on
30 rods or more

45-Inch Pioneer Hog and Sheep Fence

Top and bottom wires No. 11 Gauge; line wires No. 14; mesh wires No. 16; all wires *Super Galvanized*. Made in 10, 20 and 40 rod rolls. *Always order fence by number.*

This economical fence is ideal for either sheep or hogs. Its closely spaced line and mesh wires afford needed protection. The inter-twisted joints positively prevent the stock from spreading the wires. Prices are low for such serviceable fence.



Fence No. 60

26c

a Rod

31-Inch Pioneer Fence

Top and bottom wires No. 11; line wires, No. 14; mesh wires, No. 16. Made in 10, 20 and 40 rod rolls. *Order fence by number.*

Price does not include barbed wires above fence.
We pay freight on 30 rods or more of Pioneer Fence.


TOP AND BOTTOM WIRES No. 11

LINE WIRES

No. 14

STAY WIRES

No. 16



Fence No. 69


32c

a Rod
We pay freight on
30 rods or more

49-Inch Universal Farm Fence

Top and bottom wires No. 10 Gauge; line and stay wires No. 13 Gauge; all wires *Super Galvanized*. Made in 10, 20 and 40 rod rolls. *Always order fence by number.*

Here is another practical Sheep and Farm Fence, low in price yet high in dependable quality. Combines strength, durability and economy. Easily erected. Made with one-piece stay wires that cannot slip. Only the ability of our machines to produce this fence in large quantities makes these low prices possible.



Fence No. 70

30c

a Rod

41-Inch Universal Farm Fence

Top and bottom wires No. 10; line and stay wires No. 13; all wires *Super Galvanized*. Made in 10, 20 and 40 rod rolls. *Order fence by number.*

We pay freight on 30 rods or more of Universal Fence.

TOP AND BOTTOM WIRES No. 10

LINE WIRES

No. 13

STAY WIRES

No. 13

We Pay the Freight




Kitselman Bros.
MUNCIE, INDIANA



Kitselman Hinge-Joint Farm Fence

A Height and Weight for Every Purpose



Standard Hinge-Joint Farm Fence

Top and bottom wires No. 10 Gauge; line and stay wires No. 13 Gauge. Stay wires locked to line wires by famous Hinge-Joint wrap. All wires *Super-Galvanized* with 99 92/100% pure zinc.

Stays 12 Inches Apart

Fence Number	Height	Price per rod
232	26 inches	21½ cents
233	32 inches	24½ cents
234	39 inches	27 cents
235	47 inches	30 cents
236	55 inches	35 cents

Made in 20, 30 and 40-rod rolls.

Stays 6 Inches Apart

Fence Number	Height	Price per rod
242	26 inches	27 cents
243	32 inches	31 cents
244	39 inches	35½ cents
245	47 inches	40½ cents
246	55 inches	47 cents

Made in 20, 30 and 40-rod rolls.

We Pay Freight on 30 rods or more.

Heavy Hinge-Joint Farm Fence

Top and bottom wires No. 9 Gauge; line and stay wires No. 11 Gauge. Stay wires locked to line wires by famous Hinge-Joint wrap. All wires *Super-Galvanized* with 99 92/100% pure zinc.

Stays 12 Inches Apart

Fence Number	Height	Price per rod
252	26 inches	30 cents
253	32 inches	34½ cents
254	39 inches	39 cents
255	47 inches	43½ cents
256	55 inches	48½ cents

Made in 20, 30 and 40-rod rolls.

Stays 6 Inches Apart

Fence Number	Height	Price per rod
262	26 inches	39½ cents
263	32 inches	45½ cents
264	39 inches	53 cents
265	47 inches	59½ cents
266	55 inches	67½ cents

Made in 20, 30 and 40-rod rolls.

We Pay Freight on 30 rods or more.

Extra Heavy Hinge-Joint Farm Fence

All wires No. 9 Gauge. Stay wires locked to line wires by famous Hinge-Joint wrap. All wires *Super-Galvanized* with 99 92/100% pure zinc.

Stays 12 Inches Apart

Fence Number	Height	Price per rod
271	26 inches	39½ cents
272	32 inches	45½ cents
273	39 inches	52½ cents
274	47 inches	59 cents
275	55 inches	67½ cents

Made in 20, 30 and 40-rod rolls.

Stays 6 Inches Apart

Fence Number	Height	Price per rod
281	26 inches	55 cents
282	32 inches	64 cents
283	39 inches	75½ cents
284	47 inches	86½ cents
285	55 inches	97½ cents

Made in 20, 30 and 40-rod rolls.

We Pay Freight on 30 rods or more.

Always order fence by number.


12 TO 24 HOUR SERVICE



Kitselman Bros.
MUNCIE, INDIANA



Big Values in Hinge-Joint Hog Fence Made With Barbed Bottom Wire



Kitselman Hinge-Joint Hog Fences

You can stop rooting hogs with these sturdy fences! They are made with a strand of barbed wire at the bottom. Barbs are placed every three inches. Stay wires are only six inches apart. Stay wires are locked to the line wires by the famous Hinge-Joint wrap. Even with the added barbed wire feature, these fences cost you less than other fences of similar weight.

Standard

Top wire No. 11 Gauge. Bottom wire 2-point barbed wire made of No. 14 Gauge wires, barbs 3 inches apart. Line and Stay wires No. 14½ Gauge. Stays 6 inches apart. All wires *Super-Galvanized* with 99 92/100% *pure zinc*.

Fence Number	Height	Price per rod
221	26 inches	23½ cents
222	32 inches	28 cents

Made in 20, 30 and 40-rod rolls.

Heavy

Top wire No. 10 Gauge. Bottom wire 2-point barbed wire made of No. 13 Gauge wires, barbs 3 inches apart. Line and stay wires, No. 13 Gauge. Stays 6 inches apart. All wires *Super-Galvanized* with 99 92/100% *pure zinc*.

Fence Number	Height	Price per rod
226	26 inches	30 cents
227	32 inches	35 cents

Made in 20, 30 and 40-rod rolls.

We Pay Freight on 30 rods or more.

What 12-to-24 Hour Service Means to Our Customers

When we say "12-to-24 HOUR SERVICE" we mean just that. Over 99% of the vast number of orders received in our office during a day's business are on their way in 12 to 24 hours. Fifty per cent. of these orders are shipped the same day, less than 12 hours after they are received.

And, our responsibility does not end with filling the order. Our traffic experts route

every shipment so that it will reach its destination the quickest and surest way.


Thus, when you send us an order, you know in advance your shipment will be delivered to your railway station in the shortest possible time it takes to get it there.

This prompt service means time and money to you for you are sure to have the material on hand when you want it.

We Pay the Freight



Kitselman Bros.
MUNCIE, INDIANA



**26 cents
a Rod**

and up

Biggest Poultry Fence Value Ever Offered


Here's a strong, lightweight Poultry Fence—ideal for poultry and rabbit parks, gardens and orchards—at one-half the usual cost.

Its line wires are closely spaced at bottom to turn small chickens. Its stay wires are only $4\frac{1}{2}$ inches apart.

It is far superior to ordinary poultry netting—yet it costs you less. It is stronger, heavier than netting. It makes a neater, more lasting fence.

No top rails or baseboards are necessary with Acme Poultry Fence. It stretches up straight without bagging or sagging. Stay wires run from top to bottom and are interlocked with the continuous line wires by our Universal Tie. The numerous line wires enable you to stretch this fence to any desired tension. Acme comes in 4-foot, 5-foot and 6-foot heights, a height for every requirement.

For Poultry Gates, see page 31. See pages 35, 36 and 40 for Steel Posts recommended for fences on this page.



Acme Poultry Fence

			Fence Number	Height	Price per rod
TOP AND BOTTOM WIRES	No. 14 $\frac{1}{2}$	Stays $4\frac{1}{2}$ inches apart. Line wires graduated from 1 inch at bottom to $4\frac{1}{4}$ inches at top. All Super Galvanized Wires.	No. 65	48 inches	26 cts.
LINE WIRES	No. 18		No. 66	60 inches	30 $\frac{1}{2}$ cts.
STAY WIRES	No. 18		No. 66 $\frac{1}{2}$	72 inches	35 cts.


Made in 10 and 20 Rod Rolls

Always order fence by number.

We pay freight on 30 rods or more.

12 TO 24-HOUR SERVICE

Real Bargains in Poultry and Stock Fence




Favorite Poultry and Stock Fence

Turns poultry and stock equally well. 48-inch fence has 18 line wires; 58-inch fence, 20 line wires. Closely spaced at bottom to turn small chickens. These fences stretch up straight and true, give long, satisfactory service and cost considerably less than many fences even lighter in weight.

	No. 11	Stays 6 inches apart. Line wires graduated from 1 3/4 inches at bottom to 5 inches at top. All wires <i>Super Galvanized</i> .	Fence Number	Height	Price per rod
TOP AND BOTTOM WIRES	No. 11		No. 74	48 inches	45 cts.
LINE WIRES	No. 14 1/2		No. 75	58 inches	50 1/2 cts.
STAY WIRES	No. 14 1/2				

Made in 10 and 20 Rod Rolls Always order fence by number. We pay freight on 30 rods or more.



Universal Poultry and Stock Fence

A combination Poultry and Stock Fence that meets every requirement, yet saves you money. Combines maximum strength, economy and durability. Easily erected. Line wires closely spaced at bottom. One piece stay wires are interlocked with line wires so they cannot slip or spread.

	No. 11	Stays 6 inches apart. Line wires graduated from 1 3/4 inches apart at bottom to 6 inches at top. All <i>Super Galvanized</i> wires.	Fence Number	Height	Price per rod
TOP AND BOTTOM WIRES	No. 11		No. 64	48 inches	42 1/2 cts.
LINE WIRES	No. 14 1/2		No. 63	60 inches	48 cts.
STAY WIRES	No. 14 1/2				

Made in 10 and 20 Rod Rolls Always order fence by number. We pay freight on 30 rods or more.

Note: See page 31 for Poultry Gates. See pages 35, 36 and 38 for Steel Posts recommended for fences on this page.

We Pay the Freight

**No Stapling
No Wiring**

KITSELMAN

The RAIL STEEL POSTS—

Strongest Steel Line Posts Made

Take the drudgery out of fence building!
Stop the "back-breaking" post-hole digging!
"Put up" your fence in just one-tenth the time.

Use Kitselman Posts—The Rail Steel Posts
with the "Jiffy Fasteners."

They drive like a stake—cost less—last longer
—save time, labor and expense.

They are rot-proof, fire-proof, weather-proof.

They will not check or break off. Actual tests
have shown that frost will not lift them.

Fasten in a Jiffy

Kitselman Posts are rolled out of railroad rail steel—the toughest, strongest, longest-lived steel made. They are punched to fit any standard fence. The three lower notches, punched "upward" (see illustrations), positively prevent hogs and other stock from rooting under or lifting fence.

No stapling—no wiring is necessary with the "Jiffy Fastener." You simply place the wires in the notches and the job is done. You may, if you desire, turn down just the points of a few of the lugs, though most of our customers have learned that this is rarely necessary.


Think of the time and labor saved! No post holes to dig, no stapling, no wiring.

You drive the posts into the ground with a sledge and fasten the wire to the posts in but a fraction of the time it would take you to dig a hole.



Extra Deep in Ground

Kitselman *Can't-Bend* and *Long-Life* Line Posts are made to go into the ground from 25 to 33 inches (See chart on Page 37) while most posts on the market allow only 19 to 22 inches below ground. This extra depth is necessary to get down below the frost line. It adds to the dependability of the post and makes for a more rigid, longer-lasting fence.

Kitselman Posts are shipped with the express understanding that if they are not found satisfactory upon arrival, they may be returned at our expense and your money will be refunded.



Upper
notches
punched
downward



Three
lower
notches
punched
upward



Can't-Bend

Rolled out of Rail Steel thick at outer edges, approx. angle curve. Made with Metallic Sublimed I 6½ ft., 7 ft., 7½ ft. and 8



Drive like a stake—Save time and labor

We Pay

No Post Holes to Dig

(Patented February 26, 1924)

Kitselman *Can't-Bend* Line Posts—the strongest, longest-lasting steel line posts made—practically double the life of your fences.

For *Can't-Bends* are made extra heavy to withstand the most severe strains and shocks. They are fire-proof, rot-proof and weather-proof. They cannot check.

Made of the toughest rail steel, they should outlast two or three sets of wood posts. They make more permanent and rigid supports, for they do not frost heave or pull out.

When fence is properly stretched on *Can't-Bend* Line Posts it rarely if ever sags or buckles. Even though it should in time, it can be re-stretched easily and quickly.

Read carefully the description of these posts! Note the size and weight of the material! Note how the sides come together in a 60-degree reinforced angle! Note, too, how extra strength is gained in the stem of the "Y."

Can't-Bends are made with "Jiffy Fasteners" (Patented)—the quick, easy way of fastening fence to posts. No wiring, no stapling is necessary. This means time, labor and money saved.

The design and construction of these posts makes it impossible for stock or frost to lift them. When driven into the ground, the dirt packs solidly around the post, holding it in a vice-like grip. Not hindered by useless anchors, the posts drive quickly, easily and straight, but once set they stay set.

All posts are notched to fit the standard makes of farm fence. The three lower notches, punched upward, positively prevent hogs or other stock from rooting under or lifting the fence.

We are so thoroughly convinced that *Can't-Bend* Line Posts are the best line posts made that we make this offer:


Order six *Can't-Bend* Line Posts, compare them with any other post on the market, and if you don't decide that the *Can't-Bend* is the best post, you can keep them and they won't cost you a cent. We will refund you what you pay for them.

Length	Approx. Wt.	Price Each
6½ feet	11 pounds	39 cts
7 feet	12 pounds	42 cts.
7½ feet	13 pounds	<u>45 cts</u>
8 feet	14 pounds	<u>48 cts</u>


"Y" Driving Caps, 25 cents each.

To determine length of posts required for different heights of fence, see Page 37.

Note—We pay the freight to your nearest railway station on all orders of 20 posts or more. We also pay freight on a less number of posts when ordered with 30 or more rods of fencing.



With 2¼-inch sides, ⅛-inch
approximately ¼-inch thick in
"Stiff Fasteners." Covered
and Paint. Four lengths:
ft.





"L" Type



"T" Type

Universal Steel Line Posts

Kitselman *Universal* Line Posts are rolled out of tough rail steel and should easily outlast two or three sets of wood posts. They drive like a stake, quickly and straight, save time, labor and expense in building and actually cost less than good wood posts.

Kitselman *Universal* Posts are made to fit any and all types of fence and netting.

They are used for poultry fence, for permanent and temporary hog fencing, for field fencing, for lawn fencing and for vineyards. They come sharpened on the end to make driving easier. All posts are covered with a weather resisting paint which adds to appearance and prolongs life.

Universal "L" Type

1 1/4 x 1 1/4 x 9/64 inches

Length	*For Fences up to	Approximate Minimum Weight	Price Each
5 feet	36 inches	6 1/4 pounds	23 cents
6 feet	48 inches	7 1/4 pounds	27 1/2 cents
6 1/2 feet	54 inches	7 3/4 pounds	29 1/2 cents
7 feet	60 inches	8 1/4 pounds	31 1/2 cents
8 feet	72 inches	9 1/2 pounds	35 1/2 cents

Universal "T" Type


1 3/8 x 1 3/8 x 1/8 inches

Length	*For Fences up to	Approximate Minimum Weight	Price Each
5 feet	36 inches	6 3/4 pounds	26 1/2 cents
6 feet	48 inches	8 1/4 pounds	31 1/2 cents
6 1/2 feet	54 inches	8 3/4 pounds	34 cents
7 feet	60 inches	9 1/4 pounds	36 1/2 cents
8 feet	72 inches	10 1/2 pounds	41 1/2 cents


Driving Caps, 25 cents each.

*Where Barbed Wire is desired above fence, order next longer post. For example, if you want a 48-inch fence with Barbed Wire above, order 6 1/2-foot post.


We pay the freight to your nearest railway station on all orders of 30 or more *Universal* posts or on less number of posts when ordered with other goods on which we agree to pay freight.



Use ordinary staples to fasten fence to posts.
(See page 43)



Place staples around wire, insert staples in slots and clinch.



Furnished with heavy Anchor Plates.


12 TO 24 HOUR SERVICE



Kitselman Bros.
MUNCIE, INDIANA



How to Order "Cant Bend" and "Long Life" Line Posts for Different Heights of Farm Fence*



NOTE: 6 1/2-foot and 7-foot posts are punched exactly the same. The 7-foot posts, however, go in ground 5 inches deeper than 6 1/2-foot posts.

THIS chart will help you to determine just which length post will best meet your needs.

It shows you all lengths of Kitselman Farm Fence Line Posts. It shows how each length post is notched to fit the various heights of standard fence. It shows the number of notches placed above each height of fence for barbed wires and the spacing between each notch. It shows the depth the post goes in the ground.

Example: The 7-foot post (*Long-Life* or *Can't Bend*) when used with a 39-inch fence, has three notches for barbed wire, spaced 4 1/2 inches, 3 1/2 inches and 4 1/2 inches apart. You may use any or all of these for barbed wire, just as you desire.

There is a Kitselman Steel Fence Post for every need at prices that save you money. Select the type and length of Post that best fits your requirements. Then send us your order. If the posts do not come up to your expectations in every way, you may return the shipment and we will refund your money.

*Kitselman Poultry Fence Line Posts are punched to fit all types of Poultry Fence and Netting.

When the 7-foot post is used with 47-inch fence, there is one notch for barbed wire, spaced 4 1/2 inches above the fence. With either fence the post goes in the ground 30 inches.

The 6 1/2-foot and 7-foot posts (made in the *Long-Life* and *Can't Bend*) are notched exactly alike. The 7-foot posts, however, go in the ground 30 inches while the 6 1/2-foot posts go in the ground 25 inches.


A 47-inch fence may be erected on either a 6 1/2-foot, 7-foot, 7 1/2-foot or 8-foot post, depending upon the number of barbed wires you want above the fence and the depth you want the post to go in the ground.

Kitselman Farm Fence Line Posts are punched to fit standard farm fences only as shown above.

We Pay the Freight

Steel Posts Save Time and Labor

No Cement Necessary to Set this Post—Saves You 50c to \$1.50 depending upon cost of material and labor.



Samson Corner, End and Gate Posts at Lowest Factory Prices

Rolled out of Rail Steel, just the same as the heavier *Can't-Bends*, *Samson* Corner, End and Gate Posts meet every requirement when other than the heaviest posts are needed. They are made to withstand the strain of all field, poultry, hog, garden and orchard fences, with the exception of the heaviest field fence.

Samson Corner, End and Gate Posts are heavier and stronger than most of the end and corner posts on the market today, and cost much less.

They are double-braced at just the proper angle to give greatest strength. No cement is necessary to set them. This means a big saving to you in time, money and material—a saving of from 50 cents to \$1.50, depending upon the cost of materials and labor.

Made Right—Priced Right

Samson Corner, End and Gate Posts are rolled out of Rail Steel 2 1/4 by 2 1/4 inches, and 1/4-inch thick. Bolted to the lower end is an anchor also made of Rail Steel. The main brace is 1/2-inch Rail Steel, 1 1/2 x 1 1/2 inches. The short brace connecting the main brace to the post is angle steel, 1 1/4 x 1 1/4 x 1/8 inches. The truss rod which runs parallel with ground and connects main brace to post, is 1/2 inch in diameter.

Posts are covered with Metallic Sublimed Lead Paint, which resists weather and adds to appearance of posts.

Samson Corner Posts are equipped with a double set of braces; End or Gate Posts with one set. They can be used with any style of fence.

Our Factory Prices

Length	Approx. Weight		Price Complete	
	End and Gate Posts	Corner Posts	End and Gate Posts	Corner Posts
8 feet	54 lbs.	73 lbs.	\$2.60	\$3.60
9 feet	58 lbs.	77 lbs.	2.80	3.75
10 feet	62 lbs.	81 lbs.	3.00	3.95

To determine length of posts required for different heights of fence, see Page 41.

Take Advantage of This Offer

Study the dimensions and weights of the *Samson* and *Can't Bend* Corner, End and Gate Posts described on these two pages. Determine which post best meets your requirements. Then send us your order for one, two, three or as many as you need. If after you receive the posts, you are not convinced they are the best you ever saw at anywhere near the price, return them to us, and we will gladly refund your money.

12 TO 24 HOUR SERVICE




Kitselman Bros.
MUNCIE, INDIANA



Years of Service at Low Cost

No Cement Necessary to Set this Post—Saves You 50c to \$1.50 depending upon cost of material and labor.




"Can't Bend" Corner, End and Gate Posts—Heaviest, Strongest, Most Durable

These posts are the heaviest and strongest Steel End, Corner and Gate Posts on the market. They last longer, give better service and cost even less than wood. Made from the toughest, strongest, most durable steel, they are rot-proof, fire-proof and weather-proof. *Can't-Bend* Posts are permanently braced at just the right angle to withstand the heaviest strain and to hold the longest stretches of fence without "giving." Once set, they "stay put." No cement is necessary to set these posts, and that saves time and money.

Can't-Bend is made of $\frac{3}{8}$ -inch steel. Sides of angle are full 3 inches wide. The anchor at bottom is a 12-inch section of same dimensions and material. The main brace is also made of angle steel, $\frac{1}{4}$ inch thick with 2-inch sides. Short brace is angle steel, $1\frac{1}{4} \times 1\frac{1}{4}$ inches, $\frac{1}{8}$ -inch thick. Steel connecting rod is $\frac{1}{2}$ inch in diameter. All braces are firmly bolted. A heavy coat of water-proof metallic sublimed lead paint resists weather and adds to appearance of posts. End, Corner and Gate Posts are made in four lengths—7, 8, 9 and 10 feet—and can be used with any make or style of wire fence. Prices:

	Length	Weight		Price Complete	
		End and Gate Posts	Corner Posts	End and Gate Posts	Corner Posts
To determine length of posts required for different heights of fence, see Page 41.	7 feet	84 lbs.	118 lbs.	\$3.60	\$5.00
	8 feet	90 lbs.	124 lbs.	3.85	5.25
	9 feet	96 lbs.	130 lbs.	4.10	5.55
	10 feet	102 lbs.	136 lbs.	4.35	5.80




We Pay the Freight

Little Giant

Corner, End *and* Gate Posts

\$1.45

and up



For Acme Poultry Fence

"Little Giant" Corner, End and Gate Posts are made only for Poultry Fences such as our Acme, described on page 28 of this catalog, and for Poultry Netting. Used with our Samson or Universal Poultry Fence Posts and Acme Poultry Fence, they are just the thing for inexpensive poultry and rabbit parks and for fences around gardens or orchards.

At these exceptionally low prices, the "Little Giant" has no rival. It is made of Rail Steel—the same steel used in railroad rails, the strongest, longest-lasting steel produced. The Post itself is rolled out of steel 3/16-inch thick into a right angle, 1 3/4 inches by 1 3/4 inches. The main brace (Brace "A") is 1 1/4 inches by 1 1/4 inches and 1/8-inch thick. Brace "B" is made of No. 9 Super Galvanized Wire.

"Little Giant" Corner Posts are furnished with two sets of braces; End and Gate Posts, with one set. All "Little Giant" Posts are made to go into the ground 3 feet.

Length	For Fences up to	Approximate Weight		Price Complete	
		End and Gate Posts	Corner Posts	End and Gate Posts	Corner Posts
7 feet	48 inches	23 lbs.	29 lbs.	\$1.45	\$1.80
8 feet	60 inches	26 lbs.	33 lbs.	1.60	2.10
9 feet	72 inches	29 lbs.	38 lbs.	1.80	2.30

12 TO 24 HOUR SERVICE



Super-Galvanized Barbed Wire

— We Pay The Freight —

You save money two ways when you buy Kitselman Barbed Wire!

Our Direct-from-Wire-Mill prices are lower than you'll find elsewhere for the same high grade wire. Then, too, *We Pay the Freight*, which means a big saving to you. The use of Kitselman Barbed Wire will lengthen the life of your fence by preventing stock from "riding it down." This means a further saving.

Many of our customers also economize in building fence by buying 26-inch, 32-inch or 39-inch Kitselman Fence and placing one or more strands of Kitselman Barbed Wire above the fence fabric. This makes a fence high enough to turn any kind of stock and cuts down the cost.



Even when using 47-inch or 55-inch fence fabric it is economy to use at least one strand of barbed wire at the top. This will prevent a lot of wear and tear on the fence.

All Kitselman Barbed Wire is *Super-Galvanized* with 99 92/100% pure zinc. All of it is made right in our own mills. Even the heaviest Kitselman Barbed Wire costs but little considering the long and satisfactory service it gives. (See next page for our latest low prices.)



View of Barbed Wire Machine Room



View of Barbed Wire Storage Room

Here are two reasons why we can give you 12 to 24 hour service and lower prices on Barbed Wire—quantity production on our own machines and big stocks at all times.

12 TO 24 HOUR SERVICE




Kitselman Bros.
MUNCIE, INDIANA



At Lowest Wire Mill Prices — You Save Money —

Our Ideal Barbed Wire is made of No. 14 *Super Galvanized Wire* with 2-point barbs. It is put up only in 80-rod spools and sold by the spool.




IDEAL BARBED WIRE 2-POINT

This wire will not stand quite as much strain, yet it gives practically as good satisfaction as the heavier and more expensive wire. The barbs are 3 inches apart in Hog wire and 5 inches apart in Cattle wire.

No. 5 Ideal Cattle, per spool, 80 rods **\$2.27**
No. 1 Ideal Hog, per spool, 80 rods.... **2.48**

Eureka Barbed Wire is made of No. 13 *Super Galvanized Wire* with 2-point barbs. It is put up only in 80-rod spools and sold by the spool.



EUREKA BARBED WIRE 2-POINT

The weight and strength of this wire is between the light and heavy wire and it gives the best of satisfaction and service. The barbs are 3 inches apart in Hog wire and 5 inches apart in Cattle wire.

No. 6 Eureka Cattle, per spool, 80 rods **\$2.75**
No. 2 Eureka Hog, per spool, 80 rods.... **2.97**

Freight paid to your station on 3 spools or more.

Always order Barbed Wire by number.

Super Galvanized Staples


For the convenience of our customers and to protect them against having to pay an excessive price for staples, we put up 1¼ and 1½-inch galvanized staples in 10 and 25 pound bags and 100 pound kegs. In one pound there are about 75 1½-inch and 90 1¼-inch staples.



1¼ or 1½-inch, per 10-pound bag..... **\$.48**
1¼ or 1½-inch, per 25-pound bag..... **1.18**
1¼ or 1½-inch, per 100-pound keg..... **3.79**

Freight paid when ordered with other goods.

Glidden Barbed Wire is standard and is made of No. 12½ *Super Galvanized Wire* with 2-point




GLIDDEN BARBED WIRE 2-POINT

barbs. It is put up only in 80-rod spools and sold by the spool. The barbs are 3 inches apart in Hog wire and 5 inches apart in Cattle wire.

No. 7 Glidden Cattle, per spool, 80 rods **\$3.10**
No. 3 Glidden Hog, per spool, 80 rods.... **3.32**

Glidden Barbed Wire is standard and is made of No. 12½ *Super Galvanized Wire* with 4-point barbs. Put up only in 80-rod spools and sold by



GLIDDEN BARBED WIRE 4-POINT

the spool. The barbs are 4 inches apart in Hog wire and 6 inches apart in Cattle wire.


No. 8 Glidden Cattle, per spool, 80 rods **\$3.35**
No. 4 Glidden Hog, per spool, 80 rods.... **3.60**

Freight paid to your station on 3 spools or more.

~~We~~ We guarantee that each spool of Barbed Wire contains full 80 rods.

Super Galvanized Brace Wire

To accommodate our customers and to save them money in buying wire for bracing posts, we put



BRACE WIRE.

up heavy, soft steel wire, *Super Galvanized*, in 10-pound, 25-pound and 100-pound coils. Ten-pound coils contain about 170 feet per coil.

Per 10-pound coil..... **\$.46**
Per 25-pound coil..... **1.16**
Per 100-pound coil..... **3.60**

Freight paid when ordered with other goods.

We Pay the Freight



Kitselman Bros.
MUNCIE, INDIANA



Kitselman Farm Gates Are Super-Galvanized

Kitselman Farm Gates are made of brand new, extra heavy *Super Galvanized Steel Tubing*—the strongest and most durable material obtainable for gate construction.

The frame has triple the amount of galvanizing used on ordinary wire. This extra heavy coating adds years to the life of the gate. All gates are designed for strength and durability and are



braced both vertically and diagonally to give maximum rigidity.

The fabric filler is made of Kitselman Hot-Dip *Super Galvanized Wire* and is woven specially for these gates. All fabric is tied into the frame so neatly and securely that it can not bag or sag.

Kitselman Farm Gates are made as good as it is possible to make them, yet the price is as low or lower than that often asked for lighter and less durable gates.

Adjustable Sure-Lock Self-Raising Gate

IN RAISED POSITION



IN LOWERED POSITION

This *Super Galvanized* self-raising farm gate is absolutely the safest adjustable gate on the market. It can be securely locked at any height up to 2 feet from the ground so that your stock cannot raise or tamper with it in any way. Our locking device prevents this.

With gate raised, hogs and other small stock are allowed to pass under it while horses and cattle stay where you want them. The ease with which the Kitselman Adjustable Gate can be raised over snow and rough ground makes it one of the greatest conveniences on the farm.

The design and construction of the Kitselman Adjustable Gate gives it unusual strength and durability. The ends of the frame are made of 2-inch *Super Galvanized U-Bar Iron*. The top and bottom of the frame is heavy, *Super Galvanized Steel Tubing*, 1 1/2 inches outside diameter. All gates are fitted with adjustable diagonal braces. The 10-foot gate has one upright brace; the 12, 14 and 16-foot gates have two upright braces. These upright braces are 3/4-inch Channel Iron.

The frame is filled with all No. 9 Gauge *Super Galvanized* fabric with stays 6 inches apart. The barbed wire running across the top prevents stock from "riding" the gate.

We pay the freight on 3 Gates or more, or on any number when ordered with 30 rods or more of Fence.

Our Prices

Between Posts	Height	
10 feet x 54 inches.....		\$7.49
12 feet x 54 inches.....		8.30
14 feet x 54 inches.....		9.05
16 feet x 54 inches.....		9.70


Hinges and Latch for Wood Posts FREE. Special Hinges and Latch for Kitselman Can't-Bend or Samson Gate Posts, 60 cents extra. In ordering, be sure to specify whether fittings are for Can't-Bend or Samson Posts.

12 TO 24 HOUR SERVICE



Kitselman Bros.

MUNCIE, INDIANA



Standard Farm Gate


Frame is made of 1 $\frac{3}{8}$ -inch, outside diameter, extra heavy, *Super Galvanized Steel Tubing* of the highest quality. The 10 and 12-foot gates have one $\frac{3}{8}$ -inch upright center brace; the 14-foot gate, two center braces. The lower end of the diagonal brace is fitted with the special Kitselman Adjustable Sleeve. This sleeve is so made that when driven to the right, it automatically raises the latch end of the gate. Thus if the gate post "gives" or the ground be uneven, you can quickly adjust the gate so it will not drag. Fabric filling is made with No. 9 Gauge top and bottom wires and No. 11 Gauge line and stay wires. Stay wires are 6 inches apart. Hinges and latch for wood posts are furnished free with each gate.

We pay freight on 4 or more Standard gates or on any number when ordered with 30 or more rods of Fence.

Our Low Prices

Between Posts	Height	Price Each
10 ft. x	54 inches	\$5.95
12 ft. x	54 inches	6.65
14 ft. x	54 inches	7.40

Special Hinges and Latch for Kitselman Can't Bend or Samson Steel Gate Posts, 60 cents extra.
In ordering, be sure to specify whether for Can't Bend or Samson Gate Posts.



Atlas Farm Gate

The frame in this extra heavy Atlas Farm Gate is made of best quality *Super Galvanized Steel Tubing*, 1 $\frac{3}{8}$ inches outside diameter. The upright braces are $\frac{3}{8}$ inches outside diameter. The 10-foot gate has one upright brace and the 12 and 14-foot gates have two upright braces. The diagonal brace is fitted with the special Adjustable Sleeve which prevents sagging. The fabric filling is made of *Super Galvanized All No. 9 Gauge wire*, with stays 6 inches apart. Hinges and latch for wood posts furnished free.

We pay freight on 3 or more Atlas Gates, or on any number when ordered with 30 rods or more of Fence.

Our Low Prices

Between Posts	Height	Price Each
10 ft. x	54 inches	\$7.62
12 ft. x	54 inches	8.97
14 ft. x	54 inches	9.87

Special Hinges and Latch for Kitselman Can't Bend or Samson Steel Gate Posts, 60 cents extra.
In ordering, be sure to specify whether for Can't Bend or Samson Gate Posts.

We Pay the Freight



Protects and Beautifies Your Property

This is the day of the protective Lawn Fence. Home-owners everywhere—in city, town and country—are turning to it for protection, privacy and beautification.

Today, fence is as essential to the protection of your property as locks on the doors. It is a safeguard against thoughtless trespassers. It protects lawns and gardens against stray dogs. It insures desired privacy.

For those who have children, an enclosed section of lawn makes a safe play-ground away from the dangers of traffic. Fanciers of thoroughbred dogs or other pets find in Lawn Fence that attractive and efficient enclosure they have been seeking.

Kitselman Lawn Fence combines, as no other fence does, all of the elements that make for protection and beauty. Its unique construction, its double cable line wires and its closely woven pick-

ets, give it remarkable strength. The heavy zinc coating applied to the wire by the Kitselman *Super Galvanizing* process, insures years' longer service.

Kitselman Lawn Fence is the most economical lawn fence you can buy. It costs less than wood or slat fences. It is far more attractive, easier to erect and will last years longer.

It is far less expensive than the all iron fence, both in original cost and upkeep, yet it fulfills every requirement.

When you purchase Kitselman Lawn Fence you know just what you are buying. There is no guess work about it. Our printed description tells you exactly how and of what the fence is made. Our iron-clad guarantee protects you.

If for any reason you are not satisfied with your purchase after you receive it, return it at our expense and we immediately will refund every cent you have paid.

Send Diagram with Orders for Lawn Fence

40 Feet

3 Feet

40 Feet

GATE

All orders for Ornamental Lawn Fabric and for Complete Lawn Fence should be accompanied by a diagram of the fence as you have planned it. This diagram should show location of Corner, End and Gate Posts, the distances between such posts, and the size of all gates. Any additional information you can give will help us to fill your order promptly and to your complete satisfaction.

The price per foot quoted for Kitselman Complete Lawn Fence includes fabric, line posts, railing (where used), trimming and all necessary fittings. It does not include gates or end, corner and gate posts. In figuring the cost of Complete Lawn Fence you first figure the cost of the fence by the running foot, omitting width of gates, and then add the price of the gates and end, corner and gate posts.

For example, in finding cost of job shown in the accompanying diagram, you would figure the cost of 120 feet of fence at the correct price and then add the cost of one 3-foot gate, two corner posts, two end posts and two gate posts. If you are in doubt about the cost, just send us a diagram of your proposed fence and we will tell you exactly what it will cost you delivered at your freight station.

We Pay the Freight




Wonderful Values in Lawn Fence

Never have we offered such wonderful bargains in Ornamental Lawn Fabric as are shown on this page. Beauty, strength and durability are woven into every foot of this fence. All of it is brand new, fresh from the loom. Prices are amazingly low for such high quality fabrics.

Style "K" is made with heavy upright pickets of No. 9 crimped wire locked together by double cable line wires of No. 12½ gauge. Pickets spaced 3 inches apart. Lower double cable line wires are 6 inches apart. Two top line wires are 2¾ inches apart. All wires Kitseiman Hot-Dip Super Galvanized. Stretches up perfectly on wood or steel posts.

Height	Number of Line Wires	Price Per Running Ft.
30 in.	6	6 cts.
36 in.	7	6¾ cts.
42 in.	8	7¾ cts.
48 in.	9	8¾ cts.




Style "K" Fabric

(Send diagram with order. See Page 48.)

The upright pickets of this fabric are made from No. 10 crimped wire. These pickets are woven into a close, handsome and substantial fence by alternate right and left twists in the No. 12½ cable line wires. All wires Kitseiman Hot-Dip Super Galvanized. Pickets 2¼ inches apart and line wires 6 inches apart. Easily erected on steel or wood posts.

Height	Number of Line Wires	Price Per Running Ft.
30 in.	5	7 cts.
36 in.	6	7½ cts.
42 in.	7	8½ cts.
48 in.	8	10 cts.




Style "J" Fabric

(Send diagram with order. See Page 48.)

Style "R" is a combination of beauty, strength and durability; yet the price per foot is extremely low. It is made with No. 9 crimped pickets and double cable line wires of No. 12½ gauge, all Hot-Dip Super Galvanized. Lower pickets spaced 1½ inches apart; upper pickets 3 inches apart. Lower line wires, 6 inches apart; two top line wires, 2¾ inches. Easily stretched on wood or steel posts.

Height	Number of Line Wires	Price Per Running Ft.
30 in.	6	9 cts.
36 in.	7	9½ cts.
42 in.	8	10½ cts.
48 in.	9	11½ cts.




Style "R" Fabric

(Send diagram with order. See Page 48.)

Style "D" Fabric is strictly poultry-proof. Its sturdy, upright crimped pickets, made of No. 9 gauge wire, are only 1½ inches apart. Double cable line wires are made of two No. 12½ gauge wires. Lower cable line wires are spaced 6 inches apart. The two top cable wires are 2¾ inches apart. All wires Kitseiman Hot-Dip Super Galvanized. Stretches perfectly on wood or steel posts.

Height	Number of Line Wires	Price Per Running Ft.
48 in.	9	17 cts.
60 in.	11	21½ cts.



Style "D" Fabric

(Send diagram with order. See Page 48.)

Prices do not include Posts or Gates. See Page 51 for prices of Steel Posts and Page 55 for prices of Gates. We pay freight on 100 feet or more, or on any quantity when ordered with other goods on which we pay freight.

We Pay the Freight

Twisted Picket Fabrics at Reduced Prices

(Twisted Picket)




The Twisted Picket—of special Kitselman design—adds both strength and beauty to the fabrics shown on this page. It is made of two No. 12 Wires, twisted together so securely by special machinery that it practically becomes one wire of extraordinary strength. Naturally these sturdy pickets make for a strong, rigid fence which will hold its shape and give long years of satisfactory service.

The line wires of these fabrics are two No. 12½ wires, bound together by right and left twists. With the aid of a special wrench which we furnish free, these wires can be drawn to any desired tension. Kitselman Hot-Dip *Super* Galvanized wire is used throughout in the construction of these Kitselman Lawn Fence Fabrics.

(Send diagram with all orders for Fabric—See Page 48)

Style "S" Fabric


The pickets of this fabric are made of two No. 12 wires twisted together. The line wires are No. 12½ cables, spaced 6 inches apart. All wires are Hot-Dip *Super* Galvanized. This fabric is of an artistic design and is woven close enough to turn poultry. At the prices quoted it is a rare bargain. Stretches perfectly on wood or steel posts. Prices per running foot:



24 inches high (4 line wires)	30 inches high (5 line wires)	36 inches high (6 line wires)	42 inches high (7 line wires)	48 inches high (8 line wires)
12 cents	13 cents	14 cents	17 cents	19 cents

Style "N" Fabric


This is a pleasing style that gains instant favor. It is a good, heavy, strong fence that gives excellent service. It is woven close enough to turn poultry and all small animals. The upright pickets are made of two No. 12 wires twisted together, and the cable line wires are No. 12½, spaced 6 inches apart. All wires are Hot-Dip *Super* Galvanized. Easily stretched on wood or steel posts. Prices per running foot:



24 inches high (4 line wires)	30 inches high (5 line wires)	36 inches high (6 line wires)	42 inches high (7 line wires)	48 inches high (8 line wires)
13 cents	15 cents	17 cents	19 cents	21 cents

Style "M" Fabric

This artistic design makes an elegant and efficient fence. It is strictly poultry proof and serves every requirement demanded of a first-class lawn fence. The upright pickets are made of two No. 12 wires twisted together, and cable line wires are No. 12½, spaced 6 inches apart. All wires are Hot-Dip *Super* Galvanized to insure durability. Stretches perfectly on wood or steel posts. Prices per running foot:



30 inches high (5 line wires)	36 inches high (6 line wires)	42 inches high (7 line wires)	48 inches high (8 line wires)
17 cents	19 cents	21 cents	23 cents

Prices do not include Posts or Gates. See Page 51 for prices of Steel Posts and Page 55 for prices of Gates. We pay freight on 100 feet or more, or on any quantity when ordered with other goods on which we pay freight.

12 to 24 HOUR SERVICE



Kitselman Bros.

MUNCIE, INDIANA



Kitselman Ornamental Steel Posts

Cost Less — Last Longer — Make a More Attractive Fence

Kitselman *Leader* Steel Posts will outlast two or three sets of wood posts. Yet they cost you less. They save you time, labor and expense in building. They save you the time and labor necessary to replace broken or rotted wood posts. And, as the years roll by, you will find that fence erected on *Leader* Steel Posts stands up better and looks better. Kitselman Steel Posts are rolled out of rail steel—the toughest, strongest steel made. The *Leader* Corner, End and Gate Posts are made of $\frac{1}{4}$ -inch steel rolled into angles with 2-inch sides. The diagonal brace also is made of angle steel, $\frac{1}{8}$ -inch thick with $1\frac{1}{2}$ -inch sides. The ground brace, or truss rod, is $\frac{1}{2}$ -inch in diameter.

Leader Line Posts are reinforced "T" construction with $1\frac{1}{4} \times 1\frac{1}{4}$ -inch sides, $\frac{1}{8}$ -inch thick. They are easily and quickly set, last years longer than wood posts and make a neater, more attractive fence.

Note: Line posts should be about 10 feet apart.

Prices

Leader Line Posts


Length of Post	For Use with This Height Fabric	Plain Top		Orna-mental Top	
		Orna-mental Top		Orna-mental Top	
5 Feet	30 Inch or less	35½ cts. each	50½ cts. each	35½ cts. each	50½ cts. each
5½ Feet	36 Inch	37½ cts. each	52½ cts. each	37½ cts. each	52½ cts. each
6 Feet	42 Inch	39½ cts. each	55 cts. each	39½ cts. each	55 cts. each
6½ Feet	48 Inch	41½ cts. each	57 cts. each	41½ cts. each	57 cts. each

Leader Corner, End and Gate Posts

Length of Post	For Use with This Height Fabric	End and Gate Post		Corner Post	
		Plain Top	Orna-mental Top	Plain Top	Orna-mental Top
6 Feet	30 inch or less	\$1.65	\$1.91	\$2.29	\$2.55
6½ Feet	36 Inch	1.70	1.97	2.34	2.61
7 Feet	42 Inch	1.76	2.02	2.40	2.66
7½ Feet	48 Inch	1.81	2.07	2.45	2.71

We pay the freight on 4 or more *Leader* Corner, End or Gate Posts and on 20 or more line posts or on any quantity when ordered with other goods on which we pay the freight.


Leader "T" Type Line Post with Ornamental Top



Leader End or Gate Post with Ornamental Top



Leader End or Corner Post, Plain Top



Leader Corner Post, Ornamental Top

Ratchets for Leader Posts

Ratchets for stretching each line wire of the fabric quickly and easily are furnished at small cost. These ratchets are fastened to the corner, end and gate posts. The ends of line wires are inserted in the ratchet drum. A few turns with a wrench on the drum draws the fabric to the required tension. A lock holds fabric securely. Prices:

End Post Ratchet..... 10 cents

Corner Post Ratchet..... 15 cents

We pay freight on Ratchets when ordered with 4 or more Corner, End or Gate Posts.




Leader "T" Type Line Post, Plain Top

We Pay the Freight



Kitselman Complete Lawn Fence Made to Your Order

Kitselman Complete Ornamental Lawn and Garden Fences come to you complete, with all parts cut and fitted, ready to put up. Every Kitselman Complete Fence is made special to fit the plot of ground for which it is intended. That is why we ask you to send us a diagram of the plot with your order. Kitselman Complete Ornamental Fences, with ordinary care, will give years of satisfactory service. Our files contain letter after letter attesting to the fact that our complete fences are still good after 20, 25 and even 30 years.




Ace Complete Lawn and Garden Fence

Ace Complete Lawn Fence is a remarkable value. Its first cost is exceptionally low. In fact, with its sturdy steel posts, it costs no more than fence erected on good wood posts. It will last for years for there is nothing about it to wear out. And, it is as attractive as it is durable and economical. Our Style "R" Fabric described on Page 49 is used in this fence. End, corner and gate posts are angle steel with 2-inch sides, $\frac{1}{4}$ -inch thick. Each post has an anchor of like material. Braces for these posts are angle steel, $1\frac{1}{2}$ -inch sides, $\frac{3}{8}$ -inch thick. Line posts are made of rail steel stock, re-inforced "T" construction, $1\frac{1}{4}$ -inch x $1\frac{1}{4}$ -inch sides, $\frac{1}{8}$ -inch thick. All posts are fitted with attractive iron ornaments and with ratchets for tightening both the fabric and cable. The cable wire above fabric is made of four No. 14 Kitselman Hot-Dip Super Galvanized wires braided together. Furnished in following heights:

	Style No.	Total Height of Fence	Height of Fabric	Price Per Running Foot	Add for Each Corner, End and Gate Post	
	No. 305	34 inches	30 inches	17 cents	\$2.80	
	No. 306	40 inches	36 inches	18 cents	3.00	
	No. 307	46 inches	42 inches	19 cents	3.20	
	No. 308	52 inches	48 inches	23 cents	3.45	
Corner, End and Gate Posts						Line Posts

Prices above include everything to make fence complete except Gates. See Page 55 for prices of Gates.



Leader Complete Lawn and Garden Fence

Leader Complete Lawn and Garden Fence is made with the same sturdy posts and in the same manner as Ace Complete Fence described above. The filler used is our Style "S" Twisted Picket Fabric described on Page 50. This fence is the most popular in our entire line. It costs no more than fence erected on wood posts and should last two to three times as long.

	Style No.	Total Height of Fence	Height of Fabric	Price Per Running Foot	Add for Each Corner, End and Gate Post	
	No. 300	28 inches	24 inches	16 cents	\$2.60	
	No. 301	34 inches	30 inches	19 cents	2.80	
	No. 302	40 inches	36 inches	21 cents	3.00	
	No. 303	46 inches	42 inches	23 cents	3.20	
	No. 304	52 inches	48 inches	27 cents	3.45	
Corner, End and Gate Posts						Line Posts

Prices above include everything to make fence complete except Gates. See Page 55 for prices of Gates.

SPECIAL NOTICE: All orders for Complete Lawn Fence must be accompanied by a diagram showing the position and measurements of fence, as well as size and location of gates. (See page 48 for sample diagram.)

We pay the freight on 50 feet or more of Complete Lawn Fence, or we will pay all freight charges on any quantity when ordered with other goods on which we agree to pay freight.

12 to 24 HOUR SERVICE



Style "R" Complete Lawn Fence

Style "R" Complete Lawn Fence is ornamental, substantial and durable, yet the cost is exceptionally low. The fabric is our beautiful Style "R" described on page 49. The tubular end, corner and gate posts are made of heavy wrought iron pipe and are fitted with large steel bases which hold them solidly in the ground. The end, corner and gate posts measure $1\frac{1}{4}$ inches outside diameter. The line posts are wrought iron pipe, $1\frac{1}{8}$ inches outside diameter, and are set as nearly seven feet apart as the spaces will divide. All posts are surmounted by an attractive ball ornament. The top railing also is made of wrought iron pipe, $1\frac{1}{8}$ inches outside diameter. This railing is continuous, instead of being cut at each post, thus keeping all posts in line and effectually bracing the entire structure. The cable wire above railing is made of four No. 14 Super Galvanized wires braided together. Heights of complete fence given below represent distance between the bottom of fabric and braided cable wire above railing.

Style No.	Total Height	Height of Fabric	Price Per Running Foot	Add for Each Corner, End and Gate Post
No. 320	36 inches	30 inches	33 cents	\$1.80
No. 321	42 inches	36 inches	36 cents	1.95
No. 322	48 inches	42 inches	39 cents	2.10
No. 323	54 inches	48 inches	41 cents	2.25

Prices above include everything to make fence complete except Gates. See Page 55 for prices of Gates.



Style "S" Complete Lawn Fence

This handsome fence is made of the same high grade material and constructed in the same manner as Style "R" Complete Lawn Fence shown above, except that the fabric used is our Style "S" described on page 50. Style "S" Complete Lawn Fence is one of the most popular and attractive lawn fences on the market. It is guaranteed to give excellent satisfaction and service to every purchaser. The cost is unusually low.


Style No.	Total Height	Height of Fabric	Price Per Running Foot	Add for Each Corner, End and Gate Post
No. 350	30 inches	24 inches	33 cents	\$1.75
No. 351	36 inches	30 inches	36 cents	1.80
No. 352	42 inches	36 inches	39 cents	1.95
No. 353	48 inches	42 inches	43 cents	2.10
No. 354	54 inches	48 inches	45 cents	2.25

Prices above include everything to make fence complete except Gates. See Page 55 for prices of Gates.

SPECIAL NOTICE: All orders for Complete Lawn Fence must be accompanied by a diagram showing the position and measurements of fence, as well as size and location of gates. (See page 48 for sample diagram.)

We pay the freight on 50 feet or more of Complete Lawn Fence, or we will pay all freight charges on any quantity when ordered with other goods on which we agree to pay freight.

We Pay the Freight




Style "N" Complete Lawn Fence

This beautiful and sturdy fence is made with the popular Style "N" Fabric illustrated and described on Page 50. All posts and top-rail are heavy wrought iron pipe. End, corner and gate posts measure $1\frac{1}{4}$ inches outside diameter; line posts, $1\frac{1}{8}$ inches. Line posts are set approximately seven feet apart. The continuous top-railing measures $1\frac{1}{8}$ inches outside diameter. Top cable is made of two No. 14 *Super Galvanized Wires*.

(Note: Style "N" Complete also can be furnished with $1\frac{1}{8}$ -inch top railing at a slight additional cost. Prices forwarded on request.)

Style No.	Total Height	Height of Fabric	Price Per Running Foot	Add for Each Corner, End and Gate Post
No. 355	30 inches	24 inches	36 cents	\$1.75
No. 356	36 inches	30 inches	39 cents	1.80
No. 357	42 inches	36 inches	42 cents	1.95
No. 358	48 inches	42 inches	46 cents	2.10
No. 359	54 inches	48 inches	48 cents	2.25

Prices above include everything to make fence complete except Gates. See Page 55 for prices of Gates.



Style "M" Complete Lawn Fence with Double Line Posts

This is one of the heaviest, strongest and most serviceable lawn fences on the market. It carries style "M" fabric, which is one of the most artistic and practical designs we offer. It is strictly poultry-proof. The cable wire above railing, shown as "B" Trimming, is made of four No. 14 *Super Galvanized wires* braided together.

The end, corner and gate posts are exceptionally large and strong, measuring $2\frac{1}{2}$ inches outside diameter. The double line posts also possess unusual strength and add to the beauty of the fence by giving it the same appearance when viewed from either side. The line posts consist of two upright sections of pipe, each of which is $1\frac{1}{8}$ inches outside diameter. We furnish enough line posts to be set as near seven feet apart as spaces will divide. The top railing measures $1\frac{1}{8}$ inches outside diameter and is very strong and rigid. Made in the following heights:

Style No.	Total Height of Fence	Height of Fabric	Price per Running Foot	Add for Each Corner, End and Gate Post
No. 370	36 inches	30 inches	46 cents	\$2.50
No. 371	42 inches	36 inches	50 cents	2.65
No. 372	48 inches	42 inches	54 cents	2.90
No. 373	54 inches	48 inches	59 cents	3.10

Prices above include everything to make fence complete except Gates. See Page 55 for prices of Gates.


SPECIAL NOTICE: All orders for Complete Lawn Fence must be accompanied by a diagram showing the position and measurements of fence, as well as size and location of Gates. (See page 48.)

We pay the freight on 50 feet or more of Complete Lawn Fence, or we will pay all freight charges on any quantity when ordered with other goods on which we agree to pay freight.

12 TO 24 HOUR SERVICE



Lawn Gates at Low Cost



Style "R" Gate



Style "M" Gate


Kitselman Ornamental Gates are as durable as they are beautiful. Frames are made of new, *Super-Galvanized Steel Tubing*, 1½ inches outside diameter. The fabrics are made of *Super-Galvanized wire*. Style "R" gate is designed for use with fences built of Style "R," "K" or "J" Fabrics. Style "M" is used with Styles "S," "N" and "M" Fabrics. Style "D" Gate is especially made for Style "D" Fabric.

Used with Kitselman Ornamental Lawn Fence, Kitselman Walk and Drive Gates add to the attractiveness and value of any property. Compare the beauty and quality of these gates with any on the market! Then note these low prices!

Prices

Style "R" and "M" Gates

Between Posts	Height	Price
3	ft. x 36 inches.....	\$2.36
3	ft. x 42 inches.....	2.61
3	ft. x 48 inches.....	2.76
3½	ft. x 36 inches.....	2.61
3½	ft. x 42 inches.....	2.76
3½	ft. x 48 inches.....	2.91
4	ft. x 36 inches.....	2.75
4	ft. x 42 inches.....	3.00
4	ft. x 48 inches.....	3.27



Style "D" Gate

Hinges and Latch for Wood Posts or Tubular Steel Posts 1¾-in. or 2½-in. outside diameter, free.


Hinges and Latch for Kitselman Angle Steel Posts, 60 cents extra.

Style "D" Gate

Between Posts	Height	Price
3½	ft. x 52 inches.....	\$3.57
3½	ft. x 64 inches.....	3.93

Kitselman Ornamental Drive Gates

Frames of our attractive Ornamental Single Drive Gates are made of highest quality, *Super-Galvanized Steel Tubing*, 1¾ inches outside diameter. Eight-foot gates have one upright brace of ¾-inch tubing, and 10-foot gates have two upright braces. All gates braced diagonally with No. 9 Gauge Wire. Double Drive Gates are made of Steel Tubing, 1¾ inches outside diameter. Each half of 12-foot double gates is vertically braced with ¾-inch tubing. All fabric is made of Kitselman Hot-Dip *Super-Galvanized Wire*.



Single Drive Gate



Double Drive Gate

Single Drive Gate

Between Posts	Height	Price
8	ft. x 36 inches.....	\$6.19
8	ft. x 42 inches.....	6.19
8	ft. x 48 inches.....	6.19
10	ft. x 36 inches.....	7.17
10	ft. x 42 inches.....	7.17
10	ft. x 48 inches.....	7.17

Double Drive Gate

Between Posts	Height	Price
8	ft. x 36 inches.....	\$7.34
8	ft. x 42 inches.....	7.34
8	ft. x 48 inches.....	7.34
10	ft. x 36 inches.....	7.85
10	ft. x 42 inches.....	7.85
10	ft. x 48 inches.....	7.85
12	ft. x 36 inches.....	8.57
12	ft. x 42 inches.....	8.57
12	ft. x 48 inches.....	8.57

Hinges and Latch for Wood Posts or Tubular Steel Posts 1¾-in. or 2½-in. outside diameter, free.
Hinges and Latch for Kitselman Angle Steel Posts, 60 cents extra.

We pay freight on 4 or more Gates, or on a less number if ordered with 50 feet of Complete Lawn Fence or 100 feet of Lawn Fabric or 30 rods of Farm or Poultry Fence.


We Pay the Freight



Kitselman Bros.
MUNCIE, INDIANA



For Cemeteries, Farms and Country Estates



Kitselman No. 1 Arch

No. 1 Arch is furnished with upright posts. Either 1¾ or 2½ inches outside diameter. Height of arch is 11 feet in the clear. Driveway 8, 10 or 12 feet wide.

Price, with 1¾-inch posts.....\$39.00

Price, with 2½-inch posts..... 47.00

We use the best quality of wrought iron pipe in all arches; all thoroughly covered with a long lasting rust-resisting paint. The scroll work in all arches is wrought iron and all fittings are high grade malleable iron. Heavy steel bases that set in the ground 24 inches are attached to bottom of each post as an anchor.



Kitselman No. 2 Arch

Can be furnished with upright posts either 1¾ or 2½-inch outside diameter. Height of arch is 11 ft. in the clear. Driveway, 8, 10 or 12 feet wide.

Price, with 1¾-inch posts.....\$70.00

Price, with 2½-inch posts..... 84.00



Kitselman No. 3 Arch

Our No. 3 Arch is an exceptionally beautiful design and is one of the most practical Cemetery Arches made. The ornamentation is elaborate and artistic. Its graceful designs and proportions, its faultless construction and its combination of strength and durability are features that should appeal to all prospective purchasers.

The arch can be furnished with upright posts either 1¾ inches or 2½ inches, outside diameter. Silver-bronzed ornaments are attached to the top of each post. Height of arch, 12 feet in the clear, measuring from

ground to bottom of frame carrying inscription. The extensions at the sides are for 3½-foot walk gates. Driveway 8, 10 or 12 feet wide.

Price on all arches includes any inscription desired but does not include gates. They cost extra. In ordering arches always specify size of posts wanted.

Price, with 1¾-inch posts.....\$115.00

Price, with 2½-inch posts..... 145.00

We pay the freight on Kitselman Arches.

We Pay the Freight




Kitselman Bros.
MUNCIE, INDIANA



Tools and Supplies at a Saving

The Kitselman Combination Wire Splicer, Staple Puller and Hammer is one of the handiest tools you can have about the farm. No other tool will equal this for making a neat, strong splice. Made of high grade malleable iron, is nicely painted, and very strong and durable.



Price complete 60 cents

Parcel Post Prepaid

Eclipse Single Wire Stretcher

This excellent Stretcher is made of high grade malleable iron and we guarantee it fully. It has a grip that never slips and one person can operate it and drive




staples at the same time. For stretching single strands of plain or barbed wire or for taking up the slack between the regular fence stretcher and the last post no other tool on the market is equal to our Eclipse Single Wire Stretcher. The hook on the end makes a good staple puller and the hammer is often found useful

Price each 75 cents

Freight paid when ordered with other goods.

"Sure Hold" Fence Anchors



These Anchors will keep your fence right down to the ground, prevent hogs from raising the fence and reduce cost by enabling you to use fewer posts. Made of steel with tongue punched out for attaching to fence. They are 3-16 inch thick, 1 1/4 inches wide and 16 inches long. Can be used with any style of wire fence.

Price Each 6 cents

Freight paid when ordered with other goods.

Wire Cutter

This surpasses any plier made for cutting and bending wire, and can be used for ringing hogs. They are especially adapted to farmers' use in building wire




fence. They cut barbed wire, barbed belt, etc. By passing the wire through the pliers the wire is held after it is cut.

8-inch Wire Pliers, each..... **\$1.30**
10-inch Wire Pliers, each..... **1.45**

Parcel Post Prepaid

Wire Plier and Staple Puller

This fence tool is needed by all who build or repair wire fencing. It is made with two hammers, two



staple pullers and two cutters. They weigh about 1 1/2 pounds, and are made from the best forged steel.

11-inch Pliers and Staple Pullers, each..... **\$1.55**

Parcel Post Prepaid

Favorite Post Hole Digger

This is one of the strongest and best split handle post hole diggers on the market. The blades of the Favorite Post Hole Digger are made from solid cast steel thoroughly tempered, and the shanks are of high quality malleable iron. The handles are longer and larger than generally used and they are made from selected and seasoned wood. The workmanship is of the very best and the digger is nicely finished. It has proven exceptionally popular and we guarantee it fully in every particular.



Price each \$1.38

Freight paid when ordered with other goods.

The Kitselman Post Hole Auger

You can reduce your post hole labor one-half with the Kitselman Auger. Absolutely the most efficient and the easiest auger to operate. It has large capacity, taking only five half turns to fill it to the arch, and five fillings will complete a hole 2 1-2 feet deep. Easily emptied. Bore a hole 8 inches in diameter.


The blades are Crucible Steel and have two sharp cutting edges formed to such shape so as to both cut and hold the dirt. No other auger has as much cutting surface. Will work satisfactorily in wet or dry, hard or soft ground and in soil where there is more or less gravel.



Price each \$1.58

Freight paid when ordered with other goods.

We Pay the Freight



Price per roll

\$1.20

We pay freight on
4 or more rolls

Compo Asphalt Roofing

Compo Asphalt Roofing is made of tough, durable felt saturated with asphalt. It is particularly designed for poultry houses, implement sheds, temporary buildings, or other structures where appearance and long life are secondary. It also is widely used for celery bleaching, mulching, protecting cement bags or newly laid concrete, for protecting machinery in the open, for temporary floor coverings, etc. It's mighty convenient to have a roll or two of *Compo* about the farm for emergency use.

Compo Asphalt Roofing is superior in quality to roofings ordinarily offered for such purposes. Yet, the cost to you is exceptionally low under our direct selling plan. And, remember, *We Pay the Freight*.

Compo is alligator finished both sides. It is made in 35 to 40 pound weight only. Rolls contain 108 square feet. Each roll covers 100 square feet.

Galvanized nails, $\frac{7}{8}$ inch long, and lap cement, are furnished free with each roll. To lay roofing over shingles, order $1\frac{1}{4}$ inch nails and add 10 cents to price of each roll.

We pay Freight on 4 or more rolls of Compo Roofing or on any number of rolls when ordered with other goods on which we agree to pay freight.

Duplex Mica Coated Asphalt Roofing

Duplex Mica-Coated Asphalt Roofing gives you years of weather-tight roof protection at lowest cost.

The first cost is unusually low for such high quality roofing. And, when you distribute that small cost over the long life of *Duplex* Roofing, your roof expense per year dwindles to practically nothing.

Duplex Roofing is made of highest grade roofing felt, thoroughly saturated with special asphalt to insure long-time service. It is coated on BOTH SIDES with flake mica.

Waterproof and sunproof, *Duplex* Roofing withstands the most severe weather changes. It baffles ice and snow with the same sureness that it resists heat, smoke and acid.

For permanent roofs on all types of buildings, we recommend 50 and 60 pound *Duplex* Roofing. For less permanent roofs, such as on sheds, poultry houses, etc., 40 pound *Duplex* makes a durable, yet inexpensive, roof.

All rolls of *Duplex* Roofing contain 108 square feet. Each roll covers 100 square feet of surface. Galvanized nails, $\frac{7}{8}$ inch long, and lap cement, are furnished FREE with each roll. To lay roofing over shingles, order $1\frac{1}{4}$ inch nails and add 10 cents to price of each roll.


Price per roll

35 to 40-lb. (Light Weight).... **\$1.60**

45 to 50-lb. (Medium Weight) **2.02**

55 to 60-lb. (Heavy Weight).... **2.30**

We Pay Freight on 4 or more rolls of Duplex Roofing or on less number of rolls when ordered with other goods on which we agree to pay freight.



We Pay the Freight

Kitzelman Bros. Slate Roll Roofing

TWO INCH WATER-TIGHT LAP

Kitzelman Slate Surfaced Roll Roofing is GUARANTEED to withstand the ravages of sun and rain, ice and snow, for 17 years. Tests have proved that it actually will last much longer.

Its heavy felt base is made of selected, tough, rag fiber. Every fiber is thoroughly saturated with high-grade asphalt. Genuine crushed slate in natural colors, red or green, is securely embedded in the asphalt to give it lasting beauty.

The Two-inch Water-Tight Lap Joint—an exceptional feature—assures water-tight laps and makes the laying easier.

Kitzelman Slate Surfaced Roll Roofing weighs from 85 to 90 pounds. Each roll contains 108 square feet, and covers 100 square feet. Large head galvanized nails, 1 inch long, and lap cement are furnished FREE with each roll. To lay roofing over old shingles, order 1½-inch nails and add 10 cents to price of each roll.

Guaranteed
17
Years

85 to
90
Pounds

Price per roll
Red or Green*

\$2.25

We Pay Freight on 3 or more rolls of Kitzelman Roofing or on any number of rolls when ordered with other goods on which we pay freight.

*Unless color is specified, we ship Green.

APPROVED
by
FIRE
UNDERWRITERS

Firevoid Shingle Design Slate Roll Roofing

You'll be justly proud of a roof covered with Firevoid Slate Surfaced Shingle Roll Roofing. Its neatly embossed shingle design gives it the appearance of actual shingles.

Firevoid is GUARANTEED for 17 years and is built to last longer. It is made of unusually heavy roofing felt, saturated with high quality asphalt and surfaced with natural red and green slate. Colors and shingle design are non-fading.

Firevoid helps to safeguard your buildings against fire, stands up under all climatic conditions, is water-tight and sun-proof. It can be quickly laid over wood shingles at low cost, giving you double roofing protection.

Firevoid Shingle Roll Roofing weighs 90 pounds. Each roll contains 108 square feet and covers 100 square feet of roof. Large head galvanized nails, 1 inch long, and lap cement are furnished FREE with each roll. To lay roofing over old shingles, order 1½-inch nails and add 10 cents to price of each roll.

Price per roll
Red or Green*

\$3.39

We Pay Freight on 3 or more rolls of Firevoid Roofing or on less number when ordered with other goods on which we pay freight.

*Unless color is specified, we ship Green.

Guaranteed
17
Years

90
Pounds

APPROVED
by
FIRE
UNDERWRITERS

We Pay the Freight



Guaranteed 17 Years.
Approved by Fire Underwriters.

Hexagonal Slate-Surfaced Slab Shingles

Lasting Beauty and Protection at Low Cost

Made with a heavy, tough felt-base, saturated with weather-resisting asphalt and surfaced with natural crushed slate. Lay flat to roof without curling, buckling or warping. Storm-proof and sun-proof. Do not dry out or crack. Practically eliminate danger of fire from sparks.

Kitselman Hexagonal Slabs come in beautiful, non-fading Red, Green and the new Blended Colors, so popular with home owners everywhere. They can be easily and quickly laid, either over old shingles or on new roof decks, at small cost.

Each Kitselman Hexagonal Slab measures 36 inches long by 11 1/3 inches wide. Approximate weight per square, 170 pounds. Two bundles of slabs cover 100 square feet of roof.

Prices per bundle, covering 50 square feet.

Red or Green

\$2.52

Blended

\$2.62

We Pay Freight on two or more bundles of Hexagonal Slabs.



Four-Wide Slab Shingles

(Slate-Surfaced)

Kitselman Four-Wide Slate-Surfaced Slabs make a tighter, more waterproof roof than ordinary square-butt strip shingles. And, cost you less. They are made in one solid piece, four shingles wide. When laid, they are double-thick all over the roof and triple-thick where over-lapped. There are no cut-out notches to curl or warp. Rain cannot beat in under the butts of the shingles. Slabs are quickly and easily laid.


Each slab is 36 inches long by 10 inches wide. Approximate weight per square, 200 pounds. Put up two bundles to the square, each bundle covering 50 square feet. Made in Red, Green, Blue-Black and the popular Blended, all non-fading natural slate colors. Approved by Fire Underwriters. Guaranteed 17 years.

Price per bundle covering 50 square feet.

Red, Green or Blue Black... **\$2.86** Blended... **\$2.96**

We pay the Freight on two or more bundles of Kitselman Four-Wide Slab Shingles.

NOTE: Please state color of Shingle wanted. If no color is specified, we ship Green.



Guaranteed
17 Years

Approved by
Fire Underwriters

Kitselman Single Shingles

(Slate-Surfaced)

Kitselman Slate Surfaced Single Shingles give a certain attractive appearance to a roof which can be obtained with no other type of shingle.

Made of heavy roofing felt, saturated with weather-resisting asphalt, and surfaced with natural crushed slate, they give long years of service at very low cost. They harmonize perfectly with every style of architecture and make beautiful, weather-tight roofs. When laid four inches to the weather, they form a roof of triple thickness.

Each shingle measures 9 inches by 12 1/2 inches. Approximate weight, 245 pounds to the square. Put up four bundles to the square. Each bundle covers 25 square feet. Made in Red, Green and Blue-Black. All non-fading natural slate colors.

Price per bundle covering 25 square feet.

Red, Green or Blue Black... **\$1.61**

We pay the Freight on four bundles or more of Kitselman Single Shingles.

We Pay the Freight

Roof Preserver

Super-Seal Saves Your Roofs

Super-Seal Liquid Roof Preserver is made with a high-grade asphalt base, thoroughly mixed with long ASBESTOS fibers. It sticks tightly to any surface, will not crack or dry out, defies sun, rain and snow and remains weatherproof and water-tight in all climates. It comes to you all ready for use. Anyone can apply it easily and quickly.

Super-Seal prolongs the life of roofs, new and old. It closes all seams and protects and preserves roofs for years.

It is furnished in Black, Red or Green, all dependable colors. Red and Green are used especially for renewing slate-sur-

faces asphalt shingle roofs and for painting metal roofs and buildings. Black is used for all types of composition, metal and gravel roofs.

One gallon of *Super-Seal* Liquid Roof Preserver covers approximately 125 to 150 square feet of roof in fairly good condition. If roofing is old, approximately 1½ gallons are required to cover 125 to 150 square feet. Gravel roofs take 3½ gallons to 125 to 150 square feet of surface; metal roofs, only one gallon for 150 to 200 square feet.

Lowest Factory Prices

Super-Seal Liquid Roof Preserver

	Black	Red	Green
50 gallon bbl., per gallon.....	\$.46	\$1.09	\$1.20
30 gallon bbl., per gallon.....	.51	1.15	1.24
5 gallon can, per gallon.....	.54	1.38	1.52
1 gallon can.....	.72	1.54	1.68

We Pay the Freight on 10 gallons or more of Super-Seal Liquid Roof Preserver.

Use Plastic for Big Leaks!

Super-Seal Plastic Roof Cement is made with the same high grade asphalt and asbestos as *Super-Seal* Liquid Roof Preserver. It is of just the right consistency for making patches and stopping bigger leaks in old roofs, for repairing leaking gutters and pipes, for pointing up flashings around chimneys, and for cementing ready roofing.

Super-Seal Plastic Cement is positively water-proof, adheres to any surface—metal, stone, concrete, wood, brick, composition roofing or glass, remains in plastic state indefinitely, does not dry out or crack, and keeps your roofs tight for years. It comes to you all ready for use. Easily applied with a trowel or similar tool. Furnished in three colors: Black, Red or Green.

Prices

Super-Seal Plastic Cement

	Black	Red	Green
50 pound pail, per pound.....	7½ cts	13 cts	14 cts
25 pound pail, per pound.....	8 cts	13½ cts	14½ cts
10 pound can, per pound.....	9 cts	14½ cts	15½ cts
5 pound can, per pound.....	11 cts	16½ cts	17½ cts

We Pay the Freight on Super-Seal Plastic Cement when ordered with 10 gallons or more of Super-Seal Liquid Roof Preserver, or other goods on which we pay freight.



Liquid Super-Seal Makes Old Roofs Water-Proof




Plastic Cement Stops the Big Leaks



Liquid Super-Seal Prolongs Life of New Roofs

3-Knot Roof Brush

Here's the brush we recommend for applying *Super-Seal* Liquid Roof Preserver. Three-knot construction. Bristles wire bound and cemented in hard wood head. A good, stiff brush, built for service, yet priced low to users of *Super-Seal* Roof Preserver. Price, each



90 cents

Parcel Post Prepaid

We Pay the Freight



Kitselman Bros.

MUNCIE, INDIANA



Certified Flat Wall Finish

High quality, velvet-finish, flat oil paint you can wash time and again. Easy to apply. Gives beautiful soft effect. Choose from the following popular colors: *White, Ivory, Cream, Light Buff, Warm Gray, Rich Brown, Silk Green, Light Blue.*

(See color chart inside back cover.)

Price per gallon can **\$2.30** Price per quart can **.75**

WALL SIZE, per gal. can.....**\$1.47 Qt. 50c**

Note: Wall Size should first be applied to unpainted walls

Certified White Enamel

Beautiful, high-gloss, pure white enamel with a hard, porcelain-like finish. Just the thing for wood-work all over the house, and ideal for kitchens, bathrooms and bedrooms. Washes easily, lasts for years.

Price per gallon can **\$4.00** Price per quart can **\$1.16**

Two or three coats of Certified Enamel Undercoat should be applied to surface before using White Enamel. Prices, White Enamel Undercoat:

Price per gallon can.....**\$2.50**
Price per quart can.....**.75**

Floor Paint

(Porch and Interior)

Highest-quality floor paint it is possible to make. Dries with hard gloss finish that is lasting. Choose from the following practical colors: *Silver Gray, Pure Gray, Tan, Oak, Medium Brown.*

(See colors on inside back cover.)

1 gallon can.....**\$2.33**

1 quart can.....**.72**

Note: Be sure to state in order whether paint is wanted for porch or interior floors.

Varnish Stain

Renew woodwork, furniture and worn floors with *Certified Varnish Stain*. First apply one or two coats of *Certified Ground Color* then finish with a coat of *Varnish Stain*. Many beautiful, natural wood effects in *Brown Mahogany, Dark Mahogany, Golden Oak, Dark Oak and Walnut.*

(See colors on inside back cover.)

1 gallon can.....**\$2.16**

1 quart can.....**.68**

Ground Color

1 gallon can.....**\$2.24**

1 quart can.....**.70**

General Purpose Varnish

(Interior and Exterior)

Clear, natural varnish for floors and woodwork, inside and out. High gloss, hard-finish, long-wearing. Works freely, dries quickly. A high grade finishing varnish for all purposes.

1 gallon can.....**\$2.60**

1 quart can.....**.75**

Note: Be sure to state in order whether varnish is wanted for interior or exterior use.

Implement Enamel

Protect your Farm Implements with this high-grade, durable enamel. It defies the weather, resists rust and adds to the life of your machinery. Made in *Red and Green.*

(See color chart on inside back cover.)

1 gallon can.....**\$2.75**

1 quart can.....**.85**

Shingle Stain

Preserve your shingle roofs and add to their appearance by applying *Certified Shingle Stain*. Penetrating, quick-drying. Easy to apply. One gallon, applied with brush, covers 75 square feet, two coats. Dipping requires 3 gallons for each 1,000 shingles. Colors: *Bright Green, Moss Green, Maroon, Brown.*

(See color chart on inside back cover.)

5 gal. pail, per gal... **\$.88**

3 gal. pail, per gal.... **.91**

1 gal. can..... **.93**

Certified Brushes

For Varnishing, Enameling, Etc.

Long-fiber, chisel-bristle varnish brushes for varnishing, enameling, sash work, and general use around the house. Warranted high grade.

3 in. Varnish, each **\$.90**

2½ in. Varnish, each **.70**

1½ in. Varnish, each **.42**

1 in. Sash, each **.30**

Parcel Post Prepaid



We pay freight on 10 gallons or more when shipped alone or on smaller quantities when ordered with other goods on which we agree to pay freight.

We Pay the Freight



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY
INTERNATIONAL

www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:


Gerron S. Hite

West Texas Collection, Angelo State University,
San Angelo, TX



Fence, Steel Posts
Gates, Barbed Wire
Paints *and* Roofing

FACTORY
to
YOU



KITSEIMAN
BROTHERS

SINCE 1812
MUNCIE, INDIANA, U.S.A.